

Accepted Manuscript

Cell infiltrative hydrogel fibrous scaffolds for accelerated wound healing

Xin Zhao, Xiaoming Sun, Lara Yildirimer, Qi Lang, Zhi Yuan (William) Lin, Reila Zheng, Yuguang Zhang, Wenguo Cui, Nasim Annabi, Ali Khademhosseini


PII: S1742-7061(16)30604-3
DOI: <http://dx.doi.org/10.1016/j.actbio.2016.11.017>
Reference: ACTBIO 4526

To appear in: *Acta Biomaterialia*

Received Date: 17 June 2016
Revised Date: 21 October 2016
Accepted Date: 3 November 2016

Please cite this article as: Zhao, X., Sun, X., Yildirimer, L., Lang, Q., (William) Lin, Z.Y., Zheng, R., Zhang, Y., Cui, W., Annabi, N., Khademhosseini, A., Cell infiltrative hydrogel fibrous scaffolds for accelerated wound healing, *Acta Biomaterialia* (2016), doi: <http://dx.doi.org/10.1016/j.actbio.2016.11.017>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Cell infiltrative hydrogel fibrous scaffolds for accelerated wound healing

Xin Zhao^{a,d,e,#}, Xiaoming Sun^{h,#}, Lara Yildirimer^{a,#}, Qi Lang^a, Zhi Yuan (William) Lin^a, Reila Zheng^a, Yuguang Zhang^h, Wenguo Cui^{a,g,*}, Nasim Annabi^{a,f,*}, Ali Khademhosseini^{a,b,c,*}

^aBiomaterials Innovation Research Center, Division of Biomedical Engineering, Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston, MA 02139, USA

^bWyss Institute for Biologically Inspired Engineering, Harvard University, Boston, MA 02115, USA

^cDepartment of Physics, King Abdulaziz University, Jeddah 21569, Saudi Arabia

^dSchool of Life Science and Technology, Xi'an Jiaotong University, Xi'an, Shaanxi 710049, China

^eBioinspired Engineering and Biomechanics Center, Xi'an Jiaotong University, Shaanxi 710049, China

^fDepartment of Chemical Engineering, Northeastern University, Boston, MA 02115, USA

^gDepartment of Orthopedics, the First Affiliated Hospital of Soochow University, Orthopedic Institute, Soochow University, Suzhou, Jiangsu 215006, China

^hDepartment of Plastic and Reconstructive Surgery, Shanghai Ninth People's Hospital Affiliated to Shanghai Jiaotong University, Shanghai 200011, China

Co-first authors

* Corresponding authors: Ali Khademhosseini (Email: alik@bwh.harvard.edu); Nasim Annabi (annabi.nasim@gmail.com); Wenguo Cui (Email: wgcui80@hotmail.com)

Abstract

Development of natural protein-based fibrous scaffolds with tunable physical properties and biocompatibility is highly desirable to construct a three-dimensional (3D), fully cellularized

Download English Version:

<https://daneshyari.com/en/article/6449779>

Download Persian Version:

<https://daneshyari.com/article/6449779>

[Daneshyari.com](https://daneshyari.com)