Accepted Manuscript

Polyester fabric sheet layers functionalized with graphene oxide for sensitive isolation of circulating tumor cells

Jiyoon Bu, Young Jun Kim, Yoon-Tae Kang, Tae Hee Lee, Jeongsuk Kim, Young-Ho Cho, Sae-Won Han

PII: S0142-9612(17)30083-2

DOI: 10.1016/j.biomaterials.2017.02.009

Reference: JBMT 17938

To appear in: Biomaterials

Received Date: 25 November 2016

Revised Date: 21 January 2017

Accepted Date: 7 February 2017

Please cite this article as: Bu J, Kim YJ, Kang Y-T, Lee TH, Kim J, Cho Y-H, Han S-W, Polyester fabric sheet layers functionalized with graphene oxide for sensitive isolation of circulating tumor cells, *Biomaterials* (2017), doi: 10.1016/j.biomaterials.2017.02.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Polyester Fabric Sheet Layers Functionalized with Graphene Oxide for Sensitive Isolation of Circulating Tumor Cells

Jiyoon Bu^{1,†}, Young Jun Kim^{1,†}, Yoon-Tae Kang¹, Tae Hee Lee¹, Jeongsuk

Kim², Young-Ho Cho^{1, *}, Sae-Won Han³

¹Cell Bench Research Center,

Korea Advanced Institute of Science and Technology (KAIST),

291 Daehak-ro, Yuseong-gu, Daejeon 34141, Republic of Korea

²Se Hong Trading,

42-276, Ihyeon-dong, Seo-gu, Daegu, 41754, Republic of Korea

³Korea Colorectal Cancer Center,

Seoul National University Cancer Hospital,

101, Daehak-ro, Jongno-gu, Seoul 03080, Republic of Korea

Tel.: +82-42-350-8691 / Fax: +82-42-350-8690 / E-mail: nanosys@kaist.ac.kr

[†]Both authors contributed equally to this work

Key words: Circulating tumor cells, fabric sheet, graphene oxide, nanomaterial, high sensitive isolation

Abstract

The metastasis of cancer is strongly associated with the spread of circulating tumor cells (CTCs). Based on the microfluidic devices, which offer rapid recovery of CTCs, a number of studies have demonstrated the potential of CTCs as a diagnostic tool. However, not only the insufficient specificity and sensitivity derived from the rarity and heterogeneity of CTCs, but

Download English Version:

https://daneshyari.com/en/article/6450792

Download Persian Version:

https://daneshyari.com/article/6450792

Daneshyari.com