



Effects of redox mediators on α -Fe₂O₃ exposed by {012} and {104} facets for photocatalytic water oxidation



Yu Lei Wang, Yu Hang Li, Xue Lu Wang, Yu Hou, Ai Ping Chen*, Hua Gui Yang*

Key Laboratory for Ultrafine Materials of Ministry of Education, School of Materials Science and Engineering, East China University of Science and Technology, 130 Meilong Road, Shanghai 200237, China

ARTICLE INFO

Article history:

Received 3 August 2016

Received in revised form 9 November 2016

Accepted 15 November 2016

Available online 25 November 2016

Keywords:

Photocatalysis

Redox mediator

Oxygen

α -Fe₂O₃

Facets

ABSTRACT

The mechanism study of redox mediator to transfer the photogenerated electrons is extremely desirable for artificial Z-scheme photocatalytic systems. Here we find that the α -Fe₂O₃ exposed by {012} and {104} facets can facilitate the reduction of IO₃⁻, which results in increasing the activity of photocatalytic water oxidation significantly. By employing NaIO₃ as an electron acceptor, the O₂ evolution activity (309.4 μ mol h⁻¹ g⁻¹) of α -Fe₂O₃ photocatalyst mainly exposed by {012} and {104} facets is 84 times higher than that (3.68 μ mol h⁻¹ g⁻¹) of α -Fe₂O₃ mostly exposed by {101} and {111} planes. We anticipate that the findings in this work may open the door for further development of enhanced Z-scheme photocatalytic systems.

© 2016 Elsevier B.V. All rights reserved.

1. Introduction

Photocatalytic water splitting into hydrogen (H₂) and oxygen (O₂) has been regarded as a promising means of storing solar energy [1,2]. In the past three decades, the artificial heterogeneous Z-scheme photocatalytic systems for water splitting have been extensively investigated [3,4]. This system features the unique electron transfer, which is fully dependent on the redox reactions of the electron acceptor/donor pair. The electron acceptor is reduced into the electron donor in the conduction band of the O₂-evolving photocatalyst and the electron donor is oxidized into the electron acceptor in the valence band of H₂-evolving photocatalyst, respectively [5]. Unfortunately, it is often difficult to control the migration of electrons from the O₂-evolving photocatalyst to the H₂-evolving photocatalyst sufficiently, which results in low efficiency of the reported Z-scheme photocatalytic systems [6]. Thus, the mechanism study of the redox mediators for efficient photogenerated electrons transfer is extremely desirable.

Noteworthy, the properties of the solid-liquid contact interface between the photocatalysts and redox reagent determine the rate of electron transfer in Z-scheme photocatalytic systems. As an electron acceptor/donor pair, the IO₃⁻/I⁻ redox reagent has

been widely used in the Z-scheme photocatalytic systems [7–9]. However, since the water oxidation reaction is a bottleneck of water splitting owed to the four-electron process, it could be more challenging in Z-scheme photocatalytic system when the redox mediators (e.g., IO₃⁻/I⁻) are used [10,11]. Therefore, the search for suitable semiconductors as O₂-evolving photocatalysts that promote the reduction of IO₃⁻ is of great importance to enhance the performance of corresponding Z-scheme photocatalytic systems.

We have reported preliminary results in the electrocatalytic process of redox mediators [12], which has attracted considerable interests for its wide range of applications in other areas, for example the Z-scheme photocatalytic systems for water splitting. Herein, for the first time, we study the effects of redox reagent on the activity of O₂ evolution over α -Fe₂O₃ nanocrystals exposed by different facets. The O₂ evolution activity of α -Fe₂O₃ photocatalyst mostly exposed by {012} and {104} facets is 84 times higher than that of α -Fe₂O₃ mostly exposed by {101} and {111} planes in NaIO₃ aqueous solution. Moreover, we explore a series of low-cost O₂-evolving photocatalysts, and successfully confirm that α -Fe₂O₃ nanocrystals mainly bounded by (012) and (104) facets demonstrate remarkable photocatalytic activity of O₂ evolution in the presence of a sacrificial electron acceptor IO₃⁻. The findings indicate that the α -Fe₂O₃ mentioned above could act as a promising candidate of O₂-evolving photocatalyst for designing a prominent Z-scheme photocatalytic system.

* Corresponding authors.

E-mail addresses: apchen@ecust.edu.cn (A.P. Chen), hgyang@ecust.edu.cn (H.G. Yang).




Fig. 1. (HR)TEM images of Octo-Fe₂O₃ crystals (a–c) and Cubic-Fe₂O₃ particles (d–f). The corresponding SAED patterns are shown in the inset. The scale bars in panels (a–f) are 1 μ m, 200 nm, 2 nm, 100 nm, 20 nm and 5 nm, respectively. Cubic-Fe₂O₃: cube-like α -Fe₂O₃; Octo-Fe₂O₃: octodecahedron α -Fe₂O₃.

2. Results

The α -Fe₂O₃ nanocrystals mainly bounded by {101} and {111} planes were synthesized via a one-step hydrothermal process using sodium fluoride as the reaction controlling agent [13,14]. The morphology and structure details of the synthesized α -Fe₂O₃ samples were investigated by scanning electron microscope (SEM) and transmission electron microscopy (TEM) measurements. SEM and TEM images (Fig. S1a and Fig. 1a–c) of the obtained samples α -Fe₂O₃ display octodecahedron crystals enclosed by twelve {101} planes and six {111} planes [13,14]. A high-resolution TEM (HRTEM) image (Fig. 1c) and selected area electron diffraction (SAED, inset in Fig. 1c) of octodecahedron α -Fe₂O₃ (Octo-Fe₂O₃) exhibit two sets of lattice fringes both to be 0.25 nm, which can be assigned to the lattice fringe of {110}, { $\bar{2}10$ } and { $\bar{1}20$ } planes of α -Fe₂O₃ crystal structure [13,15]. Moreover, the angle of 120° between these two lattice fringes is consistent with the angle of the {110} and { $\bar{2}10$ } planes [13,15].

For the synthesis of the other kind of α -Fe₂O₃ nanocrystals mainly exposed by {012} and {104} facets, concentrated sodium-hydroxide aqueous solution was used as the reaction controlling agent [12,16]. As shown in high-magnification SEM image (Fig. S1b), the synthesized nanocrystals are cube-like particles with nonuniform sizes. We further carried out the TEM and HRTEM characterization to investigate the inner crystal structures of cube-like α -Fe₂O₃ (Cubic-Fe₂O₃). In Fig. 1d and e, the as-prepared crystals exhibit cube-like profiles with sizes ranging from 30 to 70 nm, which is in agreement with the SEM results. The HRTEM image (Fig. 1e) reveals two groups of {012} and {104} planes with one

interfacial angle that is approximately 85° [12,17]. Fig. 1f exhibits the lattice spacing of 0.36 nm, which can be assigned to the {012} crystal plane of α -Fe₂O₃ [15]. A close look at this cube demonstrates that one dihedral angle between adjacent lateral facets is 86° [15,17]. Similar results could be obtained from the selected area electron diffraction pattern (in the inset). These results suggest that the Cubic-Fe₂O₃ nanocrystals are single crystals, dominated by exposing {012} and {104} facets.

Powder X-ray diffraction (XRD, Fig. 2a) confirms that all diffraction peaks of the synthesized samples agree with the crystal structure of the α -Fe₂O₃ phase (JCPDS No. 84-0310) [12]. Further, the bandgap calculations of the obtained Cubic-Fe₂O₃ and Octo-Fe₂O₃ samples are worth noting. UV–vis diffuse reflectance spectra (Fig. 2b) show that the Cubic-Fe₂O₃ and Octo-Fe₂O₃ samples have similar absorption edge around 730 nm, indicating that both of them display a remarkable visible-light-harvesting ability. The band gap of Cubic-Fe₂O₃ and Octo-Fe₂O₃ samples are determined from the Tauc plot [1]. The figure (inset) displays a good linear fit when using $r = 1/2$, claiming the indirect band gap of Cubic-Fe₂O₃ and Octo-Fe₂O₃ samples are 1.69 and 1.68 eV, respectively [18]. The valence band of Cubic-Fe₂O₃ and Octo-Fe₂O₃ nanocrystals were also measured by valence band X-ray photoelectron spectroscopy (XPS) with the edge of the maximum energy at about 2.8 and 2.6 eV, respectively (Fig. 2c). Combined with the results of the above-measured band gap and valence band, the energy band diagram of Cubic-Fe₂O₃ and Octo-Fe₂O₃ nanocrystals were shown in Fig. 2d. The electrode potential of Cubic-Fe₂O₃ and Octo-Fe₂O₃ samples are not negative than the redox potential of H⁺/H₂ (0 V vs. NHE), which indicates that they cannot split water to release H₂.

Download English Version:

<https://daneshyari.com/en/article/6454668>

Download Persian Version:

<https://daneshyari.com/article/6454668>

[Daneshyari.com](https://daneshyari.com)