

Full length article

Microfluidic production of bioactive fibrin micro-beads embedded in cross-linked collagen used as an injectable bulking agent for urinary incontinence treatment

Vardar E, Larsson HM, Simone Allazetta, Engelhardt EM, Pinnagoda K, Vythilingam G, Hubbell JA, Lutolf MP, Frey P

PII: S1742-7061(17)30718-3
DOI: https://doi.org/10.1016/j.actbio.2017.11.034
Reference: ACTBIO 5187

To appear in: *Acta Biomaterialia*

Received Date: 18 August 2017
Revised Date: 19 November 2017
Accepted Date: 20 November 2017

Please cite this article as: E, V., HM, L., Allazetta, S., EM, E., K, P., G, V., JA, H., MP, L., P, F., Microfluidic production of bioactive fibrin micro-beads embedded in crosslinked collagen used as an injectable bulking agent for urinary incontinence treatment, *Acta Biomaterialia* (2017), doi: https://doi.org/10.1016/j.actbio.2017.11.034

Microfluidic production of bioactive fibrin micro-beads embedded in crosslinked collagen used as an injectable bulking agent for urinary incontinence treatment

Vardar E[1,2], Larsson HM[1], Simone Allazetta[1], Engelhardt EM[1], Pinnagoda K[2], Vythilingam G[3], Hubbell JA[4], Lutolf MP[1], Frey P[1*]

1. Laboratory of Stem Cell Bioengineering, Institute of Bioengineering, School of Life Sciences and School of Engineering, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne 1015, Switzerland

2. Department of Pediatrics, Centre Hospitalier Universitaire Vaudois (CHUV), Lausanne, Switzerland

3. Department of Surgery, University of Malaya, Kuala Lumpur, Malaysia

4. Institute for Molecular Engineering, University of Chicago, Chicago, IL, 60439, USA

*Corresponding author: Prof. Dr. Peter Frey

Address:

EPFL SV IBI LSCB

Station 15 1015-Lausanne

Switzerland

Tel: +41796451663

Fax: +41216939685

Email: peter.frey@epfl.ch