Accepted Manuscript

Full length article

Focal adhesion signaling affects regeneration by human nucleus pulposus cells in collagen- but not carbohydrate-based hydrogels

Anita Krouwels, Ferry P.W. Melchels, Mattie H.P. van Rijen, Corlinda B.M. ten Brink, Wouter J.A. Dhert, F. Cumhur Öner, Marianna A. Tryfonidou, Laura B. Creemers





Please cite this article as: Krouwels, A., Melchels, F.P.W., van Rijen, M.H.P., ten Brink, C.B.M., Dhert, W.J.A., Cumhur Öner, F., Tryfonidou, M.A., Creemers, L.B., Focal adhesion signaling affects regeneration by human nucleus pulposus cells in collagen- but not carbohydrate-based hydrogels, *Acta Biomaterialia* (2017), doi: https://doi.org/10.1016/j.actbio.2017.11.029

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Focal adhesion signaling affects regeneration by human nucleus pulposus cells in collagen- but not carbohydratebased hydrogels

Anita Krouwels^a, Ferry P.W. Melchels^b, Mattie H.P. van Rijen^a, Corlinda B.M. ten Brink^c, Wouter J.A. Dhert^d, F. Cumhur Öner^a, Marianna A. Tryfonidou^e, Laura B. Creemers^{a,*}

^aDepartment of Orthopedics, University Medical Center Utrecht, Utrecht, The Netherlands

^bInstitute of Biological Chemistry, Biophysics and Bioengineering, School of Engineering and Physical Sciences, Heriot-Watt University, Edinburgh, UK

^c Department of Cell Biology, University Medical Center Utrecht, Utrecht, The Netherlands

^dFaculty of Veterinary Medicine, Utrecht University, Utrecht, The Netherlands

^eDepartment of Clinical Sciences of Companion Animals, Faculty of Veterinary Medicine, Utrecht University, Utrecht, The Netherlands.

* Corresponding author. Tel: +31 88 7550293 fax: +31 30 2510638 E-mail address: l.b.creemers@umcutrecht.nl (L.B. Creemers)

Abstract

Hydrogel-based 3D cell cultures are an emerging strategy for the regeneration of cartilage. In an attempt to regenerate dysfunctional intervertebral discs, nucleus pulposus (NP) cells can be cultured in hydrogels of various kinds and physical properties. Stiffness sensing through focal adhesions is believed to direct chondrogenesis, but the mechanisms by which this works are largely unknown. In this study we compared focal adhesion formation and glycosaminoglycan (GAG) deposition by NP cells in a range of hydrogels. Using a focal adhesion kinase (FAK) inhibitor, we demonstrated that focal adhesion signaling is involved in the response of NP cells in hydrogels that contain integrin binding sites (i.e. methacrylated gelatin (gelMA) and type II collagen), but not in hydrogels deplete from integrin binding sites such as alginate and agarose, or CD44-binding hydrogels based on hyaluronic acid. As a result of FAK inhibition we observed enhanced proteoglycan production in gelMA, but decreased production in type II collagen hydrogels, which could be explained by alteration in cell fate as supported by the increase in the adipogenic marker peroxisome proliferatoractivated receptor gamma (PPARy). Furthermore, GAG deposition was inversely proportional to polymer concentration in integrin-binding geIMA, while no direct relationship was found for the nonintegrin binding gels alginate and agarose. This corroborates our finding that focal adhesion formation plays an important role in NP cell response to its surrounding matrix.

Download English Version:

https://daneshyari.com/en/article/6483122

Download Persian Version:

https://daneshyari.com/article/6483122

Daneshyari.com