

Thermo-responsive in-situ forming hydrogels as barriers to prevent post-operative peritendinous adhesion

Pang-Yun Chou, Shih-Heng Chen, Chih-Hao Chen, Shih-Hsien Chen, Yi Teng Fong, Jyh-Ping Chen

PII: S1742-7061(17)30573-1
DOI: http://dx.doi.org/10.1016/j.actbio.2017.09.010
Reference: ACTBIO 5072

To appear in: *Acta Biomaterialia*

Received Date: 23 June 2017
Revised Date: 1 September 2017
Accepted Date: 11 September 2017

Please cite this article as: Chou, P-Y., Chen, S-H., Chen, C-H., Chen, S-H., Teng Fong, Y., Chen, J-P., Thermo-responsive in-situ forming hydrogels as barriers to prevent post-operative peritendinous adhesion, *Acta Biomaterialia* (2017), doi: http://dx.doi.org/10.1016/j.actbio.2017.09.010

Thermo-responsive in-situ forming hydrogels as barriers to prevent post-operative peritendinous adhesion

Pang-Yun Chou[a#], Shih-Heng Chen[a#], Chih-Hao Chen[a], Shih-Hsien Chen[b], Yi Teng Fong[a], Jyh-Ping Chen[a,b,c,d]*

[a] Department of Plastic and Reconstructive Surgery and Craniofacial Research Center, Chang Gung Memorial Hospital, Kwei-San, Taoyuan 33305, Taiwan, ROC

[b] Department of Chemical and Materials Engineering, Chang Gung University, Taoyuan 33302, Taiwan, ROC

[c] Research Center for Chinese Herbal Medicine and Research Center for Food and Cosmetic Safety, College of Human Ecology, Chang Gung University of Science and Technology, Kwei-San, Taoyuan 33302, Taiwan, ROC

[d] Department of Materials Engineering, Ming Chi University of Technology, Tai-Shan, New Taipei City 24301, Taiwan, ROC

[#] Pang-Yun Chou and Shih-Heng Chen contributed equally to this work

* Corresponding author
259 Wen-Hwa 1st Road, Kwei-San, Taoyuan 33302, Taiwan, ROC
Tel: +886-3-2118800
Fax: +886-3-2118668
E-mail addresses: jpchen@mail.cgu.edu.tw