Accepted Manuscript

Title: Sequential alginate grafting and sulfonation significantly improve the performance of alginate-grafted Sepharose FF for protein chromatography

Authors: Xianxiu Li, Yang Liu, Yan Sun



Please cite this article as: Li X, Liu Y, Sun Y, Sequential alginate grafting and sulfonation significantly improve the performance of alginate-grafted Sepharose FF for protein chromatography, *Biochemical Engineering Journal* (2010), https://doi.org/10.1016/j.bej.2018.05.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Sequential alginate grafting and sulfonation significantly improve the performance of alginate-grafted Sepharose FF for protein chromatography

Xianxiu Li^a, Yang Liu^b, Yan Sun ^{a,*}

^a Department of Biochemical Engineering and Key Laboratory of Systems Bioengineering of the Ministry of Education, School of Chemical Engineering and Technology, Tianjin University, Tianjin 300354, China

^b Department of Biology & Guangdong Provincial Key Laboratory of Marine Biotechnology, College of Science, Shantou University, Shantou, Guangdong 515063, China

* Corresponding author:

E-mail address: ysun@tju.edu.cn (Y. Sun)

Highlights

- Sequential alginate grafting and sulfonation of Sepharose enhanced charge density.
- Protein uptake rate showed an increase and then decrease trend with ionic capacity.
- High-charge-density resin showed high salt-tolerance in protein adsorption.

Download English Version:

https://daneshyari.com/en/article/6483882

Download Persian Version:

https://daneshyari.com/article/6483882

Daneshyari.com