Accepted Manuscript



Settable polymer/ceramic composite bone grafts stabilize weight-bearing tibial plateau slot defects and integrate with host bone in an ovine model

Sichang Lu, Madison A.P. McGough, Stefanie M. Shiels, Katarzyna J. Zienkiewicz, Alyssa R. Merkel, Joseph P. Vanderburgh, Jeffry S. Nyman, Julie A. Sterling, David J. Tennent, Joseph C. Wenke, Scott A. Guelcher

PII: S0142-9612(18)30459-9

DOI: 10.1016/j.biomaterials.2018.06.032

Reference: JBMT 18733

To appear in: *Biomaterials*

Received Date: 18 January 2018

Revised Date: 20 June 2018

Accepted Date: 21 June 2018

Please cite this article as: Lu S, McGough MAP, Shiels SM, Zienkiewicz KJ, Merkel AR, Vanderburgh JP, Nyman JS, Sterling JA, Tennent DJ, Wenke JC, Guelcher SA, Settable polymer/ceramic composite bone grafts stabilize weight-bearing tibial plateau slot defects and integrate with host bone in an ovine model, *Biomaterials* (2018), doi: 10.1016/j.biomaterials.2018.06.032.

Settable Polymer/Ceramic Composite Bone Grafts Stabilize Weight-Bearing Tibial Plateau Slot Defects and Integrate with Host Bone in an Ovine Model

Sichang Lu[1], Madison AP McGough[2], Stefanie M Shiels[3], Katarzyna J Zienkiewicz[1], Alyssa R Merkel[4,5], Joseph P Vanderburgh[1], Jeffry S Nyman[4,6], Julie A Sterling[4,5], David J Tennent[3], Joseph C Wenke[3], Scott A Guelcher[1,2,4]

[1] Department of Chemical and Biomolecular Engineering, Vanderbilt University, Nashville, TN 37235

[2] Department of Biomedical Engineering, Vanderbilt University, Nashville, TN 37235

[3] Extremity Trauma and Regenerative Medicine Task Area, U.S. Army Institute of Surgical Research, Fort Sam Houston, TX

[4] Center for Bone Biology, Department of Medicine, Vanderbilt University Medical Center, Nashville, TN 37235

[5] Department of Veterans Affairs, Nashville, TN

[6] Department of Orthopedic Surgery and Rehabilitation, Vanderbilt University Medical Center, Nashville, TN 37235