

Accepted Manuscript

In vitro 3D blood/lymph-vascularized human stromal tissues for preclinical assays of cancer metastasis

Akihiro Nishiguchi, Michiya Matsusaki, Mitsunobu R. Kano, Hiroshi Nishihara, Daisuke Okano, Yoshiya Asano, Hiroshi Shimoda, Satoko Kishimoto, Soichi Iwai, Mitsuru Akashi

PII: S0142-9612(18)30440-X

DOI: [10.1016/j.biomaterials.2018.06.019](https://doi.org/10.1016/j.biomaterials.2018.06.019)

Reference: JBMT 18720

To appear in: *Biomaterials*


Received Date: 24 April 2018

Revised Date: 9 June 2018

Accepted Date: 14 June 2018

Please cite this article as: Nishiguchi A, Matsusaki M, Kano MR, Nishihara H, Okano D, Asano Y, Shimoda H, Kishimoto S, Iwai S, Akashi M, *In vitro* 3D blood/lymph-vascularized human stromal tissues for preclinical assays of cancer metastasis, *Biomaterials* (2018), doi: 10.1016/j.biomaterials.2018.06.019.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



***In vitro* 3D blood/lymph-vascularized human stromal tissues for preclinical assays of cancer metastasis**

Akihiro Nishiguchi^{a,2}, Michiya Matsusaki^{a,b}, Mitsunobu R. Kano^{c,d}, Hiroshi Nishihara^e, Daisuke Okano^f, Yoshiya Asano^f, Hiroshi Shimoda^f, Satoko Kishimoto^g, Soichi Iwai^g, and Mitsuru Akashi^{a,1,3}

^aDepartment of Applied Chemistry, Graduate School of Engineering, Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan. ^bPRESTO, Japan Science and Technology Agency (JST), 4-1-8 Honcho Kawaguchi, Saitama, Japan. ^cDepartment of Molecular Pathology, Graduate School of Medicine, University of Tokyo, 7-3-1 Hongo Bunkyo-ku, Tokyo 113-0033, Japan. ^dDepartment of Pharmaceutical Biomedicine, Okayama University, 1-1-1 Tsushima-Naka Kita-ku, Okayama 700-8530, Japan. ^eDepartment of Translational Pathology, Hokkaido University, Graduate School of Medicine, North 15, West 7, Kita-ku, Sapporo 060-8638, Japan. ^fDepartment of Anatomical Science, and Cell Biology and Histology, Hirosaki University, Graduate School of Medicine, 5 Zaifu-cho, Hirosaki 036-8562, Japan. ^gDepartment of Oral and Maxillofacial Surgery II, Graduate School of Dentistry, Osaka University, Suita, Osaka 565-0871, Japan.

¹Author to whom correspondence should be addressed:

Mitsuru Akashi, Ph.D. Professor

Tel: +81-6-6879-7356, Fax: +81-6-6879-7359

E-mail: akashi@fbs.osaka-u.ac.jp

Present Addresses: ²Research Center for Functional Materials, National Institute for Materials Science, 1-1 Namiki, Tsukuba, Ibaraki 305-0044, Japan. ³Graduate School of Frontier Biosciences, Osaka University, Yamadaoka 1-3, Suita, 565-0871, Osaka, Japan.

Download English Version:

<https://daneshyari.com/en/article/6484355>

Download Persian Version:

<https://daneshyari.com/article/6484355>

[Daneshyari.com](https://daneshyari.com)