

Accepted Manuscript

Designing immunostimulatory double stranded messenger RNA with maintained translational activity through hybridization with poly a sequences for effective vaccination

Satoshi Uchida, Naoto Yoshinaga, Kayoko Yanagihara, Eiji Yuba, Kazunori Kataoka, Keiji Itaka

PII: S0142-9612(17)30618-X

DOI: [10.1016/j.biomaterials.2017.09.033](https://doi.org/10.1016/j.biomaterials.2017.09.033)

Reference: JBMT 18279

To appear in: *Biomaterials*

Received Date: 12 June 2017

Revised Date: 22 September 2017

Accepted Date: 25 September 2017

Please cite this article as: Uchida S, Yoshinaga N, Yanagihara K, Yuba E, Kataoka K, Itaka K, Designing immunostimulatory double stranded messenger RNA with maintained translational activity through hybridization with poly a sequences for effective vaccination, *Biomaterials* (2017), doi: 10.1016/j.biomaterials.2017.09.033.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Designing immunostimulatory double stranded messenger RNA with maintained translational activity through hybridization with poly A sequences for effective vaccination

Satoshi Uchida^{1,2,*}, Naoto Yoshinaga^{1,2}, Kayoko Yanagihara^{2,3}, Eiji Yuba⁴, Kazunori Kataoka^{2,5} and Keiji Itaka^{2,6,**}

¹ Department of Bioengineering, Graduate School of Engineering, The University of Tokyo, Bunkyo, Tokyo, 113-8656, Japan

² Innovation Center of NanoMedicine, Kawasaki Institute of Industrial Promotion, Kawasaki, Kanagawa, 210-0821, Japan

³ Division of Clinical Biotechnology, Center for Disease Biology and Integrative Medicine, Graduate School of Medicine, The University of Tokyo, Bunkyo, Tokyo, 113-0033, Japan

⁴ Department of Applied Chemistry, Graduate School of Engineering, Osaka Prefecture University, Sakai, Osaka, 599-8531, Japan

⁵ Policy Alternatives Research Institute, The University of Tokyo, Bunkyo, Tokyo, 113-0033, Japan

⁶ Institute of Biomaterials and Bioengineering, Tokyo Medical and Dental University, Chiyoda, Tokyo, 101-0062, Japan

* Correspondence is addressed to Satoshi Uchida, Department of Bioengineering, Graduate School of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan Tel: +81-3-5841-7138; Fax: +81-3-5841-7139; Email: suchida@bmw.t.u-tokyo.ac.jp

** Correspondence also is addressed to Keiji Itaka, Institute of Biomaterials and Bioengineering, Tokyo Medical and Dental University, 2-3-10 Kanda-Surugadai, Chiyoda-ku, Tokyo, 101-0062, Japan Tel: +81-3-5280-8088; Fax: +81-3-5280-8088; Email: itaka.bif@tmd.ac.jp

Download English Version:

<https://daneshyari.com/en/article/6484809>

Download Persian Version:

<https://daneshyari.com/article/6484809>

[Daneshyari.com](https://daneshyari.com)