Accepted Manuscript

Injectable Dual-Gelling Cell-Laden Composite Hydrogels for Bone Tissue Engineering

T.N. Vo, S.R. Shah, S. Lu, A.M. Tatara, E.J. Lee, T.T. Roh, Y. Tabata, A.G. Mikos, Dr.

PII: S0142-9612(15)01014-5

DOI: 10.1016/j.biomaterials.2015.12.026

Reference: JBMT 17269

To appear in: Biomaterials

Received Date: 2 November 2015
Revised Date: 15 December 2015
Accepted Date: 19 December 2015

Please cite this article as: Vo TN, Shah SR, Lu S, Tatara AM, Lee EJ, Roh TT, Tabata Y, Mikos AG, Injectable Dual-Gelling Cell-Laden Composite Hydrogels for Bone Tissue Engineering, *Biomaterials* (2016), doi: 10.1016/j.biomaterials.2015.12.026.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Injectable Dual-Gelling Cell-Laden Composite Hydrogels for Bone Tissue Engineering

T.N. Vo^a, S.R. Shah^a, S. Lu^a, A.M. Tatara^a, E.J. Lee^a, T.T. Roh^a, Y. Tabata^b, A.G. Mikos^{a,c,*}

^aDepartment of Bioengineering, Rice University, P.O. Box 1892, MS 142, Houston, Texas, 77251-1892, USA

^bDepartment of Biomaterials, Institute for Frontier Medical Sciences, Kyoto University, Kyoto, Japan

^cDepartment of Chemical and Biomolecular Engineering, Rice University, P.O. Box 1892, MS 362, Houston, Texas, 77251-1892, USA

*Corresponding author: Dr. Antonios G. Mikos Department of Bioengineering, Rice University, P.O. Box 1892, MS 142, Houston, Texas, 77251-1892, USA.

Tel.: +001-713-348-5355 Fax: +001-713-348-4244 Email: mikos@rice.edu

Download English Version:

https://daneshyari.com/en/article/6485124

Download Persian Version:

https://daneshyari.com/article/6485124

<u>Daneshyari.com</u>