Accepted Manuscript



Title: Physical quantity of residue electrostatic energy in flavin mononucleotide binding protein dimer

Authors: Nadtanet Nunthaboot, Arthit Nueangaudom, Kiattisak Lugsanangarm, Somsak Pianwanit, Sirirat Kokpol, Fumio Tanaka

PII: S1476-9271(17)30776-4
DOI: https://doi.org/10.1016/j.compbiolchem.2018.01.001
Reference: CBAC 6772

To appear in: *Computational Biology and Chemistry*

Received date: 17-6-2017
Revised date: 7-11-2017
Accepted date: 6-1-2018

Please cite this article as: Nunthaboot, Nadtanet, Nueangaudom, Arthit, Lugsanangarm, Kiattisak, Pianwanit, Somsak, Kokpol, Sirirat, Tanaka, Fumio, Physical quantity of residue electrostatic energy in flavin mononucleotide binding protein dimer.Computational Biology and Chemistry https://doi.org/10.1016/j.compbiolchem.2018.01.001

Physical quantity of residue electrostatic energy in flavin mononucleotide binding protein dimer

Nadtanet Nunthaboot[a*], Arthit Nueangaudom[b], Kiattisak Lugsanangarm[c], Somsak Pianwanit[b], Sirirat Kokpol[b], Fumio Tanaka[b,d]

[a]Department of Chemistry and Center of Excellence for Innovation in Chemistry, Faculty of Science, Mahasarakham University, Mahasarakham, 44150 Thailand

[b]Department of Chemistry, Faculty of Science, Chulalongkorn University, Bangkok 10330, Thailand

[c]Program of Chemistry, Faculty of Science and Technology, Bansomdej Chaopraya Rajabhat University, Bangkok 10600, Thailand

[d]Division of Laser Biochemistry, Institute for Laser Technology, Osaka 550-0004, Japan

Corresponding authors:

Nadtanet Nunthaboot; Department of Chemistry and Center of Excellence for Innovation in Chemistry, Faculty of Science, Mahasarakham University, Mahasarakham, 44150 Thailand

Email: nadtanet@gmail.com, nadtanet.n@msu.ac.th

Tel :+66-43-754246, Fax : +66-43-754246