


## Accepted Manuscript

Title: GH57 amylopullulanase from *Desulfurococcus amylolyticus* JCM 9188 can make highly branched cyclodextrin via its transglycosylation activity

Authors: Yeo-UI Park, Jong-Hyun Jung, Dong-Ho Seo, Dong-Hyun Jung, Jae-Han Kim, Ean-Jeong Seo, Nam-In Baek, Cheon-Seok Park



PII: S0141-0229(18)30117-0  
DOI: <https://doi.org/10.1016/j.enzmictec.2018.03.005>  
Reference: EMT 9192

To appear in: *Enzyme and Microbial Technology*

Received date: 11-1-2018  
Revised date: 12-3-2018  
Accepted date: 16-3-2018

Please cite this article as: Park Yeo-UI, Jung Jong-Hyun, Seo Dong-Ho, Jung Dong-Hyun, Kim Jae-Han, Seo Ean-Jeong, Baek Nam-In, Park Cheon-Seok. GH57 amylopullulanase from *Desulfurococcus amylolyticus* JCM 9188 can make highly branched cyclodextrin via its transglycosylation activity. *Enzyme and Microbial Technology* <https://doi.org/10.1016/j.enzmictec.2018.03.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

GH57 amylopullulanase from *Desulfurococcus amylolyticus* JCM 9188 can make highly branched cyclodextrin via its transglycosylation activity

Yeo-Ui Park <sup>a</sup>, Jong-Hyun Jung<sup>b,c</sup>, Dong-Ho Seo<sup>d</sup>, Dong-Hyun Jung<sup>a</sup>, Jae-Han Kim<sup>e</sup>, Ean-Jeong Seo<sup>f</sup>, Nam-In Baek<sup>a</sup>, Cheon-Seok Park<sup>a,\*</sup>

<sup>a</sup>*Graduate School of Biotechnology and Institute of Life Science and Resources, Kyung Hee University, Yongin 17140, Republic of Korea*

<sup>b</sup>*Research Division for Biotechnology, Korea Atomic Energy Research Institute, Jeongeup 56212, Republic of Korea*

<sup>c</sup>*Department of Radiation Biotechnology and Applied Radioisotope Science, University of Science and Technology, Daejeon 34113, Republic of Korea*

<sup>d</sup>*Gut Microbiome Research Group, Korea Food Research Institute, Sunnam, Republic of Korea*

<sup>e</sup>*Department of Food and Nutrition, Chungnam National University, Daejeon 34134, Republic of Korea*

<sup>f</sup>*Department of Pharmaceutical Biology, Institute of Pharmacy and Biochemistry, Johannes Gutenberg University, Mainz 55128, Germany*

<sup>\*</sup>*Corresponding author: Graduate School of Biotechnology and Institute of Life Science and Resources, Kyung Hee University, Yongin 17140, Korea*

Tel: 82-31-201-2631, Fax: 82-31-204-8116.

*E-mail address: cspark@khu.ac.kr (Cheon-Seok Park).*

Download English Version:

<https://daneshyari.com/en/article/6488108>

Download Persian Version:

<https://daneshyari.com/article/6488108>

[Daneshyari.com](https://daneshyari.com)