

## Accepted Manuscript

Title: Immobilization of lipases on hydrophobic supports involves the open form of the enzyme

Author: Evelin A. Manoel José C.S. dos Santos Denise M.G. Freire Nazzoly Rueda Roberto Fernandez-Lafuente



PII: S0141-0229(15)00027-7  
DOI: <http://dx.doi.org/doi:10.1016/j.enzmictec.2015.02.001>  
Reference: EMT 8727

To appear in: *Enzyme and Microbial Technology*

Received date: 28-11-2014  
Revised date: 13-1-2015  
Accepted date: 2-2-2015

Please cite this article as: Manoel EA, Santos JCS, Freire DMG, Rueda N, Fernandez-Lafuente R, Immobilization of lipases on hydrophobic supports involves the open form of the enzyme, *Enzyme and Microbial Technology* (2015), <http://dx.doi.org/10.1016/j.enzmictec.2015.02.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

- 1 Highlights
- 2 ■ Lipase immobilization rate on octyl supports is reduced at high ionic strength
- 3
- 4 ■ Octyl-lipase is more rapidly inhibited by *D-p*NPP than covalent preparations
- 5
- 6 ■ Octyl-lipase inhibition by *D-p*NPP did not depend on ionic strength
- 7
- 8 ■ Octyl-lipase activity is less depended on ionic strength
- 9
- 10 ■ Lipase activity is not only depended on catalytic Ser exposition
- 11

Download English Version:

<https://daneshyari.com/en/article/6488279>

Download Persian Version:

<https://daneshyari.com/article/6488279>

[Daneshyari.com](https://daneshyari.com)