

Author's Accepted Manuscript

The effects of protein-phenolic interactions in wheat protein fractions on allergenicity, antioxidant activity and the inhibitory activity of angiotensin I-converting enzyme (ACE)

Sana Gammoh, Muhammad H. Alu'datt, Mohammad N. Alhamad, Taha Rababah, Majdi Al-Mahasneh, Ahmad Qasaimeh, Ayman Johargy, Stan Kubow, Neveen M. Hussein



PII: S2212-4292(17)30135-9
DOI: <https://doi.org/10.1016/j.fbio.2018.05.008>
Reference: FBIO300

To appear in: *Food Bioscience*

Received date: 5 April 2017
Revised date: 20 March 2018
Accepted date: 17 May 2018

Cite this article as: Sana Gammoh, Muhammad H. Alu'datt, Mohammad N. Alhamad, Taha Rababah, Majdi Al-Mahasneh, Ahmad Qasaimeh, Ayman Johargy, Stan Kubow and Neveen M. Hussein, The effects of protein-phenolic interactions in wheat protein fractions on allergenicity, antioxidant activity and the inhibitory activity of angiotensin I-converting enzyme (ACE), *Food Bioscience*, <https://doi.org/10.1016/j.fbio.2018.05.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The effects of protein-phenolic interactions in wheat protein fractions on allergenicity, antioxidant activity and the inhibitory activity of angiotensin I-converting enzyme (ACE)

Sana Gammoh^{a*}, Muhammad H. Alu'datt^a, Mohammad N. Alhamad^b, Taha Rababah^a, Majdi Al-Mahasneh^c, Ahmad Qasaimeh^d, Ayman Johargy^e, Stan Kubow^f and Neveen M. Hussein^a

^aDepartment of Nutrition and Food Technology, Faculty of Agriculture, Jordan University of Science and Technology, P.O. Box 3030, Irbid 22110, Jordan.

^bFaculty of Agriculture, Jordan University of Science and Technology, P.O. Box 3030, Irbid 22110, Jordan.

^cDepartment of Chemical Engineering, ^dDepartment of Civil Engineering, Faculty of Engineering, Jordan University of Science and Technology, P.O. Box 3030, Irbid 22110, Jordan.

^eFaculty of Medicine, University of Um Al-Qura, Makkah, Saudi Arabia.

^fSchool of Dietetics and Human Nutrition, Macdonald Campus of McGill University, Ste. Anne de Bellevue, QC H9X 3V9

***Corresponding Author: Email Address: sana_gammoh@hotmail.com**

ABSTRACT

Protein fractions were isolated from wheat flour including albumin, globulin, glutelin-1, glutelin-2 and prolamin. The free and bound phenolics were extracted from each protein fraction to determine the impact of their removal on allergenicity, antioxidant activity and the inhibitory

Download English Version:

<https://daneshyari.com/en/article/6488755>

Download Persian Version:

<https://daneshyari.com/article/6488755>

[Daneshyari.com](https://daneshyari.com)