

Accepted Manuscript

Title: Pink bacteria—Production of the pink chromophore phycoerythrobilin with *Escherichia coli*

Authors: Judith Stiefelmaier, Benjamin Ledermann, Michael Sorg, Angela Banek, Doris Geib, Roland Ulber, Nicole Frankenberg-Dinkel



PII: S0168-1656(18)30079-8
DOI: <https://doi.org/10.1016/j.jbiotec.2018.03.006>
Reference: BIOTEC 8130

To appear in: *Journal of Biotechnology*

Received date: 22-1-2018
Revised date: 1-3-2018
Accepted date: 11-3-2018

Please cite this article as: Stiefelmaier J, Ledermann B, Sorg M, Banek A, Geib D, Ulber R, Frankenberg-Dinkel N, Pink bacteria—Production of the pink chromophore phycoerythrobilin with *Escherichia coli*, *Journal of Biotechnology* (2018), <https://doi.org/10.1016/j.jbiotec.2018.03.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Pink bacteria – Production of the pink chromophore phycoerythrobilin with *Escherichia coli*

Judith Stiefelmaier^{a*} (stiefelmaier@mv.uni-kl.de), Benjamin Ledermann^{b*} (lederman@bio.uni-kl.de), Michael Sorg^a (sorg.michael@outlook.com), Angela Banek^{a,b} (banek@rhrk.uni-kl.de), Doris Geib^a (geib@mv.uni-kl.de), Roland Ulber^{a§} (ulber@mv.uni-kl.de) and Nicole Frankenberg-Dinkel^{b§} (nfranken@bio.uni-kl.de)

^a Lehrgebiet Bioverfahrenstechnik, Technische Universität Kaiserslautern, Gottlieb-Daimler-Straße 49, 67663 Kaiserslautern, Germany

^b Abteilung für Mikrobiologie, Technische Universität Kaiserslautern, Erwin-Schroedinger-Straße 56, 67663 Kaiserslautern, Germany

*Both authors contributed equally to this work

§ Corresponding Authors

Highlights

- The pink chromophore phycoerythrobilin (PEB) was produced with *Escherichia coli*.
- The process was up-scaled to batch cultivation in 2 L bioreactors.
- PEB separation was simplified through foam collection via separatory funnel.

Download English Version:

<https://daneshyari.com/en/article/6490323>

Download Persian Version:

<https://daneshyari.com/article/6490323>

[Daneshyari.com](https://daneshyari.com)