

Accepted Manuscript

Title: Cross-linked enzyme aggregates (CLEAs) of halohydrin dehalogenase from *Agrobacterium radiobacter* AD1: Preparation, characterization and application as a biocatalyst

Authors: Qian Liao, Xuan Du, Wei Jiang, Yapei Tong, Zhipeng Zhao, Ruiqin Fang, Juan Feng, Lixia Tang



PII: S0168-1656(17)31772-8
DOI: <https://doi.org/10.1016/j.jbiotec.2017.12.014>
Reference: BIOTEC 8076

To appear in: *Journal of Biotechnology*

Received date: 30-8-2017
Revised date: 13-12-2017
Accepted date: 15-12-2017

Please cite this article as: Liao, Qian, Du, Xuan, Jiang, Wei, Tong, Yapei, Zhao, Zhipeng, Fang, Ruiqin, Feng, Juan, Tang, Lixia, Cross-linked enzyme aggregates (CLEAs) of halohydrin dehalogenase from *Agrobacterium radiobacter* AD1: Preparation, characterization and application as a biocatalyst. *Journal of Biotechnology* <https://doi.org/10.1016/j.jbiotec.2017.12.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Cross-linked enzyme aggregates (CLEAs) of halohydrin dehalogenase from *Agrobacterium radiobacter* AD1: Preparation, characterization and application as a biocatalyst

Qian Liao¹, Xuan Du¹, Wei Jiang¹, Yapei Tong¹, Zhipeng Zhao¹, Ruiqin Fang^{1,2}, Juan Feng^{1,2}, and Lixia Tang^{1,2*}

1 School of Life Science and Technology, University of Electronic Science and Technology of China, Chengdu 610054, China

2 Center for Informational Biology, University of Electronic Science and Technology of China, Chengdu 610054, China

*To whom correspondence should be addressed: School of Life Science and Technology, University of Electronic Science and Technology of China, No. 4, Section 2, North Jianshe Road, Chengdu, China Tel.: (+86) 28-83208232; Fax: (+86) 28-83208238; E-mail: lixiatang@uestc.edu.cn

Highlights

- The crude extract of HheC (HheC-CE) was directly subjected to enzyme immobilization using a carrier-free, cross-linked enzyme aggregate (CLEA) method, and the obtained HheC-CLEAs retained more than 90% activity of the free enzyme.
- HheC-CLEAs exhibited a robust re-operational stability with 74% of the activity remained after 10 rounds of reactions.

Download English Version:

<https://daneshyari.com/en/article/6490333>

Download Persian Version:

<https://daneshyari.com/article/6490333>

[Daneshyari.com](https://daneshyari.com)