

Title: The improvement of formic acid production from CO_2 with visible-light energy and formate dehydrogenase by the function of the viologen derivative with carbamoylmethyl group as an electron carrier

Authors: Shusaku Ikeyama, Takayuki Katagiri, Yutaka Amao

PII: S1010-6030(17)30949-8
DOI: https://doi.org/10.1016/j.jphotochem.2017.09.044
Reference: JPC 10891

To appear in: *Journal of Photochemistry and Photobiology A: Chemistry*

Received date: 5-7-2017
Revised date: 7-9-2017
Accepted date: 20-9-2017

Please cite this article as: Shusaku Ikeyama, Takayuki Katagiri, Yutaka Amao, The improvement of formic acid production from CO2 with visible-light energy and formate dehydrogenase by the function of the viologen derivative with carbamoylmethyl group as an electron carrier, Journal of Photochemistry and Photobiology A: Chemistry https://doi.org/10.1016/j.jphotochem.2017.09.044

The improvement of formic acid production from CO_2 with visible-light energy and formate dehydrogenase by the function of the viologen derivative with carbamoylmethyl group as an electron carrier

Shusaku Ikeyama[a], Takayuki Katagiri[b], Yutaka Amao[a,b,c*]

[a] Advanced Research Institute for Natural Science and Technology (OCARINA), Osaka City University, Sugimoto 3-3-138, Sumiyoshi-ku, Osaka 558-8585, Japan.

[b] Graduate School of Science, Osaka City University, Sugimoto 3-3-138, Sumiyoshi-ku, Osaka 558-8585, Japan.

[c] Research Center for Artificial Photosynthesis (ReCAP), Osaka City University, Sugimoto 3-3-138, Sumiyoshi-ku, Osaka 558-8585, Japan.

Corresponding Author: Y. Amao

Fax: +81 6 6605 3726; Tel: +81 6 6605 3726; E-mail: amao@ocarina.osaka-cu.ac.jp