Author's Accepted Manuscript

Metabolic engineering of *Escherichia coli* for the production of L-malate from xylose

Zheng-Jun Li, Peng-Hui Hong, Yang-Yang Da, Liang-Kang Li, Gregory Stephanopoulos



yayay akayiar com/locata/ymban

PII: S1096-7176(18)30085-5

DOI: https://doi.org/10.1016/j.ymben.2018.05.010

Reference: YMBEN1408

To appear in: Metabolic Engineering

Received date: 23 February 2018

Revised date: 8 May 2018 Accepted date: 18 May 2018

Cite this article as: Zheng-Jun Li, Peng-Hui Hong, Yang-Yang Da, Liang-Kang Li and Gregory Stephanopoulos, Metabolic engineering of *Escherichia coli* for the production of L-malate from xylose, *Metabolic Engineering*, https://doi.org/10.1016/j.ymben.2018.05.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Metabolic engineering of Escherichia coli for the production of L-malate from xylose

Zheng-Jun Li^{a,b*}, Peng-Hui Hong^b, Yang-Yang Da^b, Liang-Kang Li^b, Gregory Stephanopoulos^{c*}

^aBeijing Advanced Innovation Center for Soft Matter Science and Engineering, Beijing University of Chemical Technology, Beijing 100029, China

^bBeijing Key Laboratory of Bioprocess, College of Life Science and Technology, Beijing University of Chemical Technology, Beijing 100029, China

^cDepartment of Chemical Engineering, Massachusetts Institute of Technology, Cambridge, MA 02139, United States

*Corresponding author (G. Stephanopoulos); Mailing address: Department of Chemical Engineering, Massachusetts Institute of Technology, Room 56-469, 77 Massachusetts Avenue, Cambridge, MA 02139, United States. E-mail: gregstep@mit.edu

*Co-corresponding author (Z. J. Li); Mailing address: Mailbox 53, Beijing University of Chemical Technology, No. 15, Beisanhuan Donglu, Chaoyang District, Beijing 100029, China; E-mail: lizj@mail.buct.edu.cn

Abstract

Malate is regarded as one of the key building block chemicals which can potentially be produced from biomass at a large scale. Although glucose has been extensively studied as the

Download English Version:

https://daneshyari.com/en/article/6494033

Download Persian Version:

https://daneshyari.com/article/6494033

<u>Daneshyari.com</u>