

www.elsevier.com/locate/ymben

Combination of type II fatty acid biosynthesis enzymes and thiolases supports a functional β-oxidation reversal

James M. Clomburg, Stephanie C. Contreras, Alexander Chou, Justin B. Siegel, Ramon Gonzalez

PII: S1096-7176(17)30365-8
DOI: https://doi.org/10.1016/j.ymben.2017.11.003
Reference: YMBEN1312

To appear in: *Metabolic Engineering*

Received date: 22 September 2017
Revised date: 13 October 2017
Accepted date: 4 November 2017

Cite this article as: James M. Clomburg, Stephanie C. Contreras, Alexander Chou, Justin B. Siegel and Ramon Gonzalez, Combination of type II fatty acid biosynthesis enzymes and thiolases supports a functional β-oxidation reversal, *Metabolic Engineering,* https://doi.org/10.1016/j.ymben.2017.11.003

Combination of type II fatty acid biosynthesis enzymes and thiolases supports a functional β-oxidation reversal

James M. Clomburg[a], Stephanie C. Contreras[c,e], Alexander Chou[a], Justin B. Siegel[c,d,e,*], and Ramon Gonzalez[a,b,**]

[a]Department of Chemical and Biomolecular Engineering, and [b]Department of Bioengineering, Rice University, 6100 Main St, Houston, Texas 77005, USA

[c]Department of Chemistry, [d]Biochemistry & Molecular Medicine, and the [e]Genome Center, University of California Davis, One Shields Avenue, Davis, California 95616, USA

[*]To whom correspondence should be addressed:

E-mail: jbsiegel@ucdavis.edu; Phone: (530) 752-9910

[**]To whom correspondence should be addressed:

E-mail: Ramon.Gonzalez@rice.edu; Phone: (713) 348-4893

Keywords: β-oxidation reversal; fatty acid biosynthesis; metabolic engineering; synthetic biology; fuels and chemicals