## Accepted Manuscript

Title: New electrooxidation characteristic for Ni-based electrodes for wide application in methanol fuel cells

Authors: Nasser A.M. Barakat, Mohamed A. Yassin, Fahad S. Al-Mubaddel, Mohamed T. Amen

PII: S0926-860X(18)30082-6

DOI: https://doi.org/10.1016/j.apcata.2018.02.016

Reference: APCATA 16556

To appear in: Applied Catalysis A: General

Received date: 17-12-2017 Revised date: 17-2-2018 Accepted date: 17-2-2018

Please cite this article as: Barakat NAM, Yassin MA, Al-Mubaddel FS, Amen MT, New electrooxidation characteristic for Ni-based electrodes for wide application in methanol fuel cells, *Applied Catalysis A*, *General* (2010), https://doi.org/10.1016/j.apcata.2018.02.016

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



### ACCEPTED MANUSCRIPT

# New electrooxidation characteristic for Ni-based electrodes for wide application in methanol fuel cells

Nasser A. M. Barakat\*,1,2, Mohamed A. Yassin¹, Fahad S. Al-Mubaddel³, and Mohamed T. Amen¹

<sup>1</sup>Organic Materials and Fiber Engineering Department, Chonbuk National University, Jeonju 561-756, Republic of Korea

<sup>2</sup>Chemical Engineering Department, Faculty of Engineering, Minia University, Minia, Egypt

<sup>3</sup>Department of Chemical Engineering, King Saud University, PO Box 800, Riyadh 11421, Saudi Arabia

Corresponding author (Nasser A M Barakat) Tel: 0082632702363, Fax: 0082632702363, E-mail nasser@jbnu.ac.kr

**Graphical abstract** 

#### Download English Version:

# https://daneshyari.com/en/article/6496920

Download Persian Version:

https://daneshyari.com/article/6496920

<u>Daneshyari.com</u>