Accepted Manuscript

Title: KCl Flux-Induced Growth of Isometric Crystals of Cadmium-Containing Early Transition-Metal (Ti^{4+} , Nb^{5+} , and Ta^{5+}) Oxides and Nitridability to Form Their (Oxy)nitride Derivatives under an NH₃ Atmosphere For Water Splitting Application



Author: Mirabbos Hojamberdiev Hajime Wagata Kunio Yubuta Kenta Kawashima Junie Jhon M. Vequizo Akira Yamakata Shuji Oishi Kazunari Domen Katsuya Teshima

PII:	80926-3373(15)30185-5
DOI:	http://dx.doi.org/doi:10.1016/j.apcatb.2015.10.002
Reference:	APCATB 14309
To appear in:	Applied Catalysis B: Environmental
Received date:	24-8-2015
Revised date:	28-9-2015
Accepted date:	1-10-2015

Please cite this article as: Mirabbos Hojamberdiev, Hajime Wagata, Kunio Yubuta, Kenta Kawashima, Junie Jhon M.Vequizo, Akira Yamakata, Shuji Oishi, Kazunari Domen, Katsuya Teshima, KCl Flux-Induced Growth of Isometric Crystals of Cadmium-Containing Early Transition-Metal (Ti4+, Nb5+, and Ta5+) Oxides and Nitridability to Form Their (Oxy)nitride Derivatives under an NH3 Atmosphere For Water Splitting Application, Applied Catalysis B, Environmental http://dx.doi.org/10.1016/j.apcatb.2015.10.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

KCl Flux-Induced Growth of Isometric Crystals of Cadmium-Containing Early Transition-Metal (Ti⁴⁺, Nb⁵⁺, and Ta⁵⁺) Oxides and Nitridability to Form Their (Oxy)nitride Derivatives under an NH₃ Atmosphere For Water Splitting Application

Mirabbos Hojamberdiev^{1*} mirabbos@shinshu-u.ac.jp, Hajime Wagata¹, Kunio Yubuta²,

Kenta Kawashima¹, Junie Jhon M. Vequizo³, Akira Yamakata³, Shuji Oishi¹, Kazunari

Domen⁴, Katsuya Teshima^{1,5}* teshima@shinshu-u.ac.jp

¹Department of Environmental Science and Technology, Faculty of Engineering, Shinshu University, 4-17-1 Wakasato, Nagano 380-8553, Japan

²Institute for Materials Research, Tohoku University, Sendai 980-8577, Japan

³Graduate School of Engineering, Toyota Technological Institute, 2-12-1 Hisakata, Tempaku, Nagoya 468-8511, Japan

⁴Department of Chemical System Engineering, School of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan

⁵Center for Energy and Environmental Science, Shinshu University, 4-17-1 Wakasato, Nagano 380-8553, Japan

*Corresponding author. Tel.: +81 26 269 5556; Fax: +81 26 269 5550.

Download English Version:

https://daneshyari.com/en/article/6499553

Download Persian Version:

https://daneshyari.com/article/6499553

Daneshyari.com