


Accepted Manuscript

Solvent-free synthesis and KOH activation of mesoporous carbons using resorcinol/
Pluronic F127/hexamethylenetetramine mixture and their application to EDLC

Nao Yoshida, Yuichiro Hirota, Yoshiaki Uchida, Toshihiro Asada, Naoya Kobayasi,
Norikazu Nishiyama



PII: S1387-1811(18)30338-X

DOI: [10.1016/j.micromeso.2018.06.028](https://doi.org/10.1016/j.micromeso.2018.06.028)

Reference: MICMAT 8981

To appear in: *Microporous and Mesoporous Materials*


Received Date: 15 May 2018

Revised Date: 9 June 2018

Accepted Date: 14 June 2018

Please cite this article as: N. Yoshida, Y. Hirota, Y. Uchida, T. Asada, N. Kobayasi, N. Nishiyama, Solvent-free synthesis and KOH activation of mesoporous carbons using resorcinol/Pluronic F127/hexamethylenetetramine mixture and their application to EDLC, *Microporous and Mesoporous Materials* (2018), doi: 10.1016/j.micromeso.2018.06.028.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract

Download English Version:

<https://daneshyari.com/en/article/6531589>

Download Persian Version:

<https://daneshyari.com/article/6531589>

[Daneshyari.com](https://daneshyari.com)