

# Accepted Manuscript

Zeolite/dye hybrid composites: Organization of photoactive azobenzene molecules inside  $\text{AlPO}_4\text{-5}$

Michelangelo Polisi, Rossella Arletti, Sara Morandi, Marco Fabbiani, Gianmario Martra, Simona Quartieri, Linda Pastero, Giovanna Vezzalini

PII: S1387-1811(18)30170-7

DOI: [10.1016/j.micromeso.2018.03.038](https://doi.org/10.1016/j.micromeso.2018.03.038)

Reference: MICMAT 8854

To appear in: *Microporous and Mesoporous Materials*


Received Date: 26 February 2018

Revised Date: 15 March 2018


Accepted Date: 30 March 2018

Please cite this article as: M. Polisi, R. Arletti, S. Morandi, M. Fabbiani, G. Martra, S. Quartieri, L. Pastero, G. Vezzalini, Zeolite/dye hybrid composites: Organization of photoactive azobenzene molecules inside  $\text{AlPO}_4\text{-5}$ , *Microporous and Mesoporous Materials* (2018), doi: [10.1016/j.micromeso.2018.03.038](https://doi.org/10.1016/j.micromeso.2018.03.038).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



a  
b c  
Most of azobenzene molecules in 12MR channel of  
AFI are protonated and deviate from planar geometry.



ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6531807>

Download Persian Version:

<https://daneshyari.com/article/6531807>

[Daneshyari.com](https://daneshyari.com)