Accepted Manuscript



Growth performance and genetic diversity in four strains of Asian sea bass, *Lates calcarifer (*Bloch, 1790) cultivated in Thailand

Weerakit Joerakate, Suthajaree Yenmak, Wansuk Senanan, Suriyan Tunkijjanukij, Skorn Koonawootrittriron, Supawadee Poompuang

PII: S2452-316X(17)30223-5

DOI: 10.1016/j.anres.2018.05.015

Reference: ANRES 172

To appear in: *Agriculture and Natural Resources*

Received Date: 23 May 2017

Revised Date: 26 July 2017

Accepted Date: 1 August 2017

Please cite this article as: Joerakate W, Yenmak S, Senanan W, Tunkijjanukij S, Koonawootrittriron S, Poompuang S, Growth performance and genetic diversity in four strains of Asian sea bass, *Lates calcarifer (*Bloch, 1790) cultivated in Thailand, *Agriculture and Natural Resources* (2018), doi: 10.1016/j.anres.2018.05.015.

Agriculture and Natural Resources. year. 52(1): xx–xx.
Agr. Nat. Resour. year. 52(1): xx–xx.

Growth performance and genetic diversity in four strains of Asian sea bass, *Lates calcarifer* (Bloch, 1790) cultivated in Thailand

Weerakit Joerakate[a], Suthajaree Yenmak[a], Wansuk Senanan[b], Suriyan Tunkijjanukij[a], Skorn Koonawootrittriron[c] and Supawadee Poompuang[a,*]

[a] Department of Aquaculture, Faculty of Fisheries, Kasetsart University, Bangkok 10900 Thailand
[b] Department of Aquatic Science, Faculty of Science, Burapha University, Chon Buri, 20131 Thailand
[c] Department of Animal Science, Faculty of Agriculture, Kasetsart University, Bangkok 10900 Thailand

Article history:
Received 23 May 2017
Accepted 1 August 2017
Available online

Keywords:
Barramundi,
Condition factor,
Microsatellite diversity,
Pond culture,
Stock improvement

*Corresponding author.
E-mail address: supawadee.p@ku.ac.th (S. Poompuang)