Accepted Manuscript

Title: Morpho-physiological plant quality when biochar and vermicompost are used as growing media replacement in urban horticulture

Authors: José M. Alvarez, Claudio Pasian, Rattan Lal, Rafael López, M.J. Díaz, Manuel Fernández

PII: DOI: Reference: S1618-8667(18)30140-7 https://doi.org/10.1016/j.ufug.2018.06.021 UFUG 26166

To appear in:

 Received date:
 6-3-2018

 Revised date:
 25-6-2018

 Accepted date:
 26-6-2018

Please cite this article as: Alvarez JM, Pasian C, Lal R, López R, Díaz MJ, Fernández M, Morpho-physiological plant quality when biochar and vermicompost are used as growing media replacement in urban horticulture, *Urban Forestry and Urban Greening* (2018), https://doi.org/10.1016/j.ufug.2018.06.021

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Morpho-physiological plant quality when biochar and vermicompost are used as growing media replacement in urban horticulture

José M. Alvarez^{1,2,3*}, Claudio Pasian², Rattan Lal³, Rafael López⁴, M. J. Díaz¹, Manuel

 $Fernández^1$

¹Escuela Técnica Superior de Ingeniería, Universidad de Huelva, 21071, Huelva, Spain.

² Horticulture Dept., 202 Kottman Hall, Ohio State University, Columbus OH, 43210, USA.

³C-MASC, 422B Kottman Hall, Ohio State University, Columbus OH, 43210, USA.

⁴IRNAS-CSIC, Avenida Reina Mercedes, 10, 41012, Sevilla, Spain.

* Corresponding author: josemaria.alvarez254@alu.uhu.es

Highlights:

- Biochar and vermicompost are good peat substitutes in urban horticulture.
- Plants show a similar or enhanced morpho-physiological response.
- Pertinent to reduce peat usage in the production of containerized bedding plants.
- Relevant to store carbon for large periods of time in urban gardens.

ABSTRACT

Peat moss is the most used soilless substrate in the production of container plants in floriculture. Nevertheless, the drainage of peat bogs due to the peat extraction has increased the necessity of Download English Version:

https://daneshyari.com/en/article/6549089

Download Persian Version:

https://daneshyari.com/article/6549089

Daneshyari.com