

Investigating the detection limits of scent-detection dogs to residual blood odour on clothing

LaTara Rust, Katie D. Nizio, Matt P. Wand, Shari L. Forbes

PII: S2468-1709(18)30019-5
DOI: https://doi.org/10.1016/j.forc.2018.05.002
Reference: FORC 105

To appear in: *Forensic Chemistry*

Received Date: 5 March 2018
Revised Date: 28 May 2018
Accepted Date: 30 May 2018

Please cite this article as: L. Rust, K.D. Nizio, M.P. Wand, S.L. Forbes, Investigating the detection limits of scent-detection dogs to residual blood odour on clothing, *Forensic Chemistry* (2018), doi: https://doi.org/10.1016/j.forc.2018.05.002

Investigating the detection limits of scent-detection dogs to residual blood odour on clothing

LaTara Rust[1*], Katie D Nizio[1], Matt P Wand[2], Shari L Forbes[1]

[1]University of Technology Sydney, Centre for Forensic Science, P.O. Box 123, Broadway, NSW, 2007, Australia. Latara.Rust@gmail.com; KatieDNizio@gmail.com; Shari.Forbes@uts.edu.au

[2]University of Technology Sydney, School of Mathematical and Physical Sciences, P.O. Box 123, Broadway, NSW, 2007, Australia. Matt.Wand@uts.edu.au

*Corresponding author

LaTara Rust

T: +61 424 315 125

E: Latara.Rust@gmail.com