

Accepted Manuscript

Title: Association between cytochrome P450 2D6 polymorphisms and body fluid methamphetamine concentrations in Japanese forensic autopsy cases

Authors: Aya Matsusue, Tomoya Ikeda, Naoto Tani, Brian Waters, Kenji Hara, Masayuki Kashiwagi, Mio Takayama, Natsuki Ikematsu, Shin-ichi Kubo, Takaki Ishikawa



PII: S0379-0738(18)30263-9
DOI: <https://doi.org/10.1016/j.forsciint.2018.05.018>
Reference: FSI 9311

To appear in: *FSI*

Received date: 23-2-2018
Revised date: 3-5-2018
Accepted date: 10-5-2018

Please cite this article as: Aya Matsusue, Tomoya Ikeda, Naoto Tani, Brian Waters, Kenji Hara, Masayuki Kashiwagi, Mio Takayama, Natsuki Ikematsu, Shin-ichi Kubo, Takaki Ishikawa, Association between cytochrome P450 2D6 polymorphisms and body fluid methamphetamine concentrations in Japanese forensic autopsy cases, *Forensic Science International* <https://doi.org/10.1016/j.forsciint.2018.05.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original Research Article

Association between cytochrome P450 2D6 polymorphisms and body fluid methamphetamine concentrations in Japanese forensic autopsy cases

Aya Matsusue ^{a,*}, Tomoya Ikeda ^b, Naoto Tani ^b, Brian Waters ^a, Kenji Hara ^a, Masayuki Kashiwagi ^a, Mio Takayama ^a, Natsuki Ikematsu ^a, Shin-ichi Kubo ^a, Takaki Ishikawa ^b

^a *Department of Forensic Medicine, Faculty of Medicine, Fukuoka University, 7-45-1 Nanakuma, Jonan-ku, Fukuoka 814-0180, Japan*

^b *Department of Legal Medicine, Osaka City University Medical School, Asahi-machi 1-4-3, Abeno, Osaka 545-8585, Japan*

* Corresponding author: Aya Matsusue

Address: Department of Forensic Medicine, Faculty of Medicine, Fukuoka University, 7-45-1 Nanakuma, Jonan-ku, Fukuoka 814-0180, Japan.

Tel.: +81-92-801-1011 (Ext. 3335); fax: +81-92-801-4266.

E-mail address: miyoshi@fukuoka-u.ac.jp

Highlights

- CYP2D6 phenotypes were identified in methamphetamine (MA) abusers and controls.
- MA and amphetamine (AMP) levels were measured in body fluids from MA abusers.

Download English Version:

<https://daneshyari.com/en/article/6550790>

Download Persian Version:

<https://daneshyari.com/article/6550790>

[Daneshyari.com](https://daneshyari.com)