Accepted Manuscript

Title: Endogenous cortisol in keratinized matrices: systematic determination of baseline cortisol levels in hair and the influence of sex, age and hair color

Author: T.M. Binz L. Rietschel F. Streit M. Hofmann J. Gehrke M. Herdener B.B. Quednow N.G. Martin M. Rietschel T. Kraemer M.R. Baumgartner

PII: S0379-0738(17)30548-0

DOI: https://doi.org/doi:10.1016/j.forsciint.2017.12.032

Reference: FSI 9114

To appear in: FSI

Received date: 25-9-2017 Revised date: 15-12-2017 Accepted date: 16-12-2017

Please cite this article as: T.M. Binz, L. Rietschel, F. Streit, M. Hofmann, J. Gehrke, M. Herdener, B.B. Quednow, N.G. Martin, M. Rietschel, T. Kraemer, M.R. Baumgartner, Endogenous cortisol in keratinized matrices: systematic determination of baseline cortisol levels in hair and the influence of sex, age and hair color, *Forensic Science International* (2017), https://doi.org/10.1016/j.forsciint.2017.12.032

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Highlights

- Baseline cortisol levels are generally low in hair
- A standardized analytical method for hair cortisol measurement is needed
- Hair cortisol is age dependent and influenced by sex and hair color
- Age-dependent normative baseline cortisol levels are highly recommended

Download English Version:

https://daneshyari.com/en/article/6551289

Download Persian Version:

https://daneshyari.com/article/6551289

<u>Daneshyari.com</u>