

Accepted Manuscript

Title: Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections detected by real-time PCR among individuals reporting sexual assaults in the Paris, France area

Author: Françoise Jauréguy Patrick Chariot Annie Vessières
Bertrand Picard



PII: S0379-0738(16)30186-4
DOI: <http://dx.doi.org/doi:10.1016/j.forsciint.2016.04.031>
Reference: FSI 8447

To appear in: *FSI*

Received date: 16-6-2015
Revised date: 4-2-2016
Accepted date: 26-4-2016

Please cite this article as: F. Jauréguy, P. Chariot, A. Vessigraveeres, B. Picard, Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* infections detected by real-time PCR among individuals reporting sexual assaults in the Paris, France area, *Forensic Science International* (2016), <http://dx.doi.org/10.1016/j.forsciint.2016.04.031>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- Chlamydia trachomatis was detected in 15% of sexual assault victims (real time PCR)
- Neisseria gonorrhoeae was detected in 5% of sexual assault victims (real time PCR)
- A total of 10 patients (3%) had a CT/NG co-infection
- 27% of patients with CT infection had both genital and anorectal infections
- A systematic CT/NG screening could provide an opportunity for early treatment of diagnosed STIs

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/6551544>

Download Persian Version:

<https://daneshyari.com/article/6551544>

[Daneshyari.com](https://daneshyari.com)