

Accepted Manuscript

Title: “Quantifying gunshot residues in cases of suicide: implications for evaluation of suicides and criminal shootings”

Author: Nick Lucas Michael Cook James Wallace K. Paul
Kirkbride Hilton Kobus



PII: S0379-0738(16)30258-4
DOI: <http://dx.doi.org/doi:10.1016/j.forsciint.2016.06.006>
Reference: FSI 8499

To appear in: *FSI*

Received date: 6-1-2016
Revised date: 5-6-2016
Accepted date: 6-6-2016

Please cite this article as: N. Lucas, M. Cook, J. Wallace, K.P. Kirkbride, H. Kobus, “Quantifying gunshot residues in cases of suicide: implications for evaluation of suicides and criminal shootings”, *Forensic Science International* (2016), <http://dx.doi.org/10.1016/j.forsciint.2016.06.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- 71 cases of suicide by gunshot were examined for their GSR test results.
- Rifles were the most commonly used firearm in 60% of all cases.
- 0.22 Rimfire was the most frequently encountered ammunition, used in 53% of cases.
- Three-component GSR was seen to be generated from antimony free primed ammunition.

Download English Version:

<https://daneshyari.com/en/article/6551599>

Download Persian Version:

<https://daneshyari.com/article/6551599>

[Daneshyari.com](https://daneshyari.com)