

## Accepted Manuscript

Title: Forensic facial approximation assessment: can application of different average facial tissue depth data facilitate recognition and establish acceptable level of resemblance?



Author: Lara Maria Herrera Raíssa Ananda Paim Strapasson  
Jorge Vicente Lopes da Silva Rodolfo Francisco Haltenhoff  
Melani

PII: S0379-0738(16)30267-5  
DOI: <http://dx.doi.org/doi:10.1016/j.forsciint.2016.06.015>  
Reference: FSI 8508

To appear in: *FSI*

Received date: 21-1-2016  
Revised date: 10-5-2016  
Accepted date: 10-6-2016

Please cite this article as: L.M. Herrera, R.A.P. Strapasson, J.V.L. Silva, R.F.H. Melani, Forensic facial approximation assessment: can application of different average facial tissue depth data facilitate recognition and establish acceptable level of resemblance?, *Forensic Science International* (2016), <http://dx.doi.org/10.1016/j.forsciint.2016.06.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

- 1 • FSTT data obtained from imaging may not facilitate recognition and  
2 establish acceptable level of resemblance.
- 3 • The sex of assessors does not influence the recognition process.
- 4 • Knowledge on Human Anatomy and Forensic Dentistry has no effect  
5 on recognition.
- 6 • A combined data of FSTT datasets for Brazilians is proposed.
- 7
- 8

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/6551608>

Download Persian Version:

<https://daneshyari.com/article/6551608>

[Daneshyari.com](https://daneshyari.com)