

Accepted Manuscript

Title: OCCUPATIONAL EXPOSURE TO KETAMINE
DETECTED BY HAIR ANALYSIS: A RETROSPECTIVE
AND PROSPECTIVE TOXICOLOGICAL STUDY

Author: D. Favretto S. Vogliardi M. Tucci I. Simoncello R. El
Mazloun R. Snenghi



PII: S0379-0738(16)30096-2
DOI: <http://dx.doi.org/doi:10.1016/j.forsciint.2016.03.010>
Reference: FSI 8370

To appear in: *FSI*

Received date: 8-11-2015
Revised date: 23-2-2016
Accepted date: 8-3-2016

Please cite this article as: D. Favretto, S. Vogliardi, M. Tucci, I. Simoncello, R.E. Mazloun, R. Snenghi, OCCUPATIONAL EXPOSURE TO KETAMINE DETECTED BY HAIR ANALYSIS: A RETROSPECTIVE AND PROSPECTIVE TOXICOLOGICAL STUDY, *Forensic Science International* (2016), <http://dx.doi.org/10.1016/j.forsciint.2016.03.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **Highlights**

2

- 3 • 11 veterinary physicians were recruited on voluntary base
- 4 • They were all using ketamine as an anaesthetic in surgery
- 5 • A prospective study was performed on two naïve subjects
- 6 • Ketamine and norketamine were detected in head and pubic hair
- 7 • The possibility of unaware exposure to ketamine was demonstrated

8

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/6551787>

Download Persian Version:

<https://daneshyari.com/article/6551787>

[Daneshyari.com](https://daneshyari.com)