MOF-Derived Hollow Porous Ni/CeO_2 Octahedron with High Efficiency for N_2O Decomposition

Pei Zhao, Feng Qin, Zhen Huang, Chao Sun, Wei Shen, Hualong Xu

PII: S1385-8947(18)30833-7
DOI: https://doi.org/10.1016/j.cej.2018.05.044
Reference: CEJ 19060

To appear in: *Chemical Engineering Journal*

Received Date: 9 February 2018
Revised Date: 24 April 2018
Accepted Date: 7 May 2018

Please cite this article as: P. Zhao, F. Qin, Z. Huang, C. Sun, W. Shen, H. Xu, MOF-Derived Hollow Porous Ni/CeO_2 Octahedron with High Efficiency for N_2O Decomposition, *Chemical Engineering Journal* (2018), doi: https://doi.org/10.1016/j.cej.2018.05.044

MOF-Derived Hollow Porous Ni/CeO_2 Octahedron with High Efficiency for N_2O Decomposition

Pei Zhao, Feng Qin, Zhen Huang, Chao Sun, Wei Shen and Hualong Xu*

Department of Chemistry, Shanghai Key Laboratory of Molecular Catalysis and Innovative Materials and Laboratory of Advanced Materials, Collaborative Innovation Center of Chemistry for Energy Materials, Fudan University, Shanghai 200433, P. R. China.

**Corresponding authors. Tel.: +86 21 65642401; Fax: +86 21 65641740; E-mail: shuhl@fudan.edu.cn.*