

Accepted Manuscript

A two-step approach for producing oxygen-free aromatics from lignin using formic acid as a hydrogen source

Marcel Jonathan Hidajat, Asim Riaz, Jaehoon Kim

PII: S1385-8947(18)30825-8
DOI: <https://doi.org/10.1016/j.cej.2018.05.036>
Reference: CEJ 19052

To appear in: *Chemical Engineering Journal*

Received Date: 15 November 2017
Revised Date: 12 April 2018
Accepted Date: 7 May 2018

Please cite this article as: M.J. Hidajat, A. Riaz, J. Kim, A two-step approach for producing oxygen-free aromatics from lignin using formic acid as a hydrogen source, *Chemical Engineering Journal* (2018), doi: <https://doi.org/10.1016/j.cej.2018.05.036>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A two-step approach for producing oxygen-free aromatics from lignin using formic acid as a hydrogen source

Marcel Jonathan Hidajat^{a,‡}, Asim Riaz^{b,‡}, Jaehoon Kim^{a,b,}*

^a SKKU Advanced Institute of Nanotechnology (SAINT), Sungkyunkwan University,
2066, Seobu-Ro, Jangan-Gu, Suwon, Gyeong Gi-Do 16419, Republic of Korea

^b School of Mechanical Engineering, Sungkyunkwan University,
2066, Seobu-Ro, Jangan-Gu, Suwon, Gyeong Gi-Do 16419, Republic of Korea

[‡] Equally contributed as first authors

Download English Version:

<https://daneshyari.com/en/article/6579003>

Download Persian Version:

<https://daneshyari.com/article/6579003>

[Daneshyari.com](https://daneshyari.com)