Accepted Manuscript

Effective biodiesel synthesis from waste cooking oil and biomass residue solid green catalyst

Nasar Mansir, Siow Hwa Teo, Idris Rabiu, Yun Hin Taufiq-Yap

PII:	\$1385-8947(18)30601-6
DOI:	https://doi.org/10.1016/j.cej.2018.04.034
Reference:	CEJ 18834
To appear in:	Chemical Engineering Journal
Received Date:	11 December 2017
Revised Date:	30 March 2018
Accepted Date:	6 April 2018



Please cite this article as: N. Mansir, S.H. Teo, I. Rabiu, Y.H. Taufiq-Yap, Effective biodiesel synthesis from waste cooking oil and biomass residue solid green catalyst, *Chemical Engineering Journal* (2018), doi: https://doi.org/10.1016/j.cej.2018.04.034

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Effective biodiesel synthesis from waste cooking oil and biomass residue solid green catalyst

Nasar Mansir^{1,2&3}, Siow Hwa Teo^{1,2&4}, Idris Rabiu⁵, Yun Hin Taufiq-Yap^{1,2*}

 ¹Catalysis Science and Technology Research Centre, Faculty of Science, Universiti Putra Malaysia, 43400, Serdang, Selangor, Malaysia
²Department of Chemistry, Faculty of Science, Universiti Putra Malaysia, 43400, Serdang, Selangor, Malaysia
³Department of Chemistry, Faculty of Science, Federal University Dutse, 7156 Dutse Jigawa State, Nigeria
⁴Graduate School of Life Science and Systems Engineering, Kyushu Institute of Technology, 2-4 Hibikino, Wakamatsu-ku, Kitakyushu, Fukuoka 808-0196, Japan
⁵Department for Science Infrastructure, National Agency for Science and Engineering infrastructure, 391 Abuja Nigeria

Abstract

Biodiesel has recently received greater concern as one of the reliable and sustainable source of energy. Production of biodiesel is hampered by both feedstock availability and catalyst system. This work successfully utilized the waste egg shell to develop a bimetallic mixed oxide catalyst, and waste cooking oil characterised by high free fatty acid (FFA) as feedstock, towards methyl ester production under mild reaction condition in one-step transesterification process. The properties of the catalyst were assessed using XRD, BET, SEM, EDX and TPD-CO₂. The prepared catalyst was successfully-recorded a high biodiesel yield of 92.1% under the optimized reaction conditions of 15:1 methanol to oil molar ratio, 3 wt% catalyst loading, 80 °C reaction temperature and 3 h reaction time. The recovered catalyst was reused in five cycles without significant loss in activity. The leaching of catalytic Ca²⁺ active site was reduced when transition bimetallic mixed oxides were added to the CaO surface.

Keywords: Biodiesel, bimetallic mixed oxide catalyst, waste cooking oil, leaching of Ca²⁺ metal ion

^{*}Corresponding Author at: Catalysis Science and Technology Research Centre, Faculty of Science, Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia. Tel.: +60 3 89466809; fax: +60 3 89466758.

E-mail address: taufiq@upm.edu.my (Y.H. Taufiq-Yap).

Download English Version:

https://daneshyari.com/en/article/6579215

Download Persian Version:

https://daneshyari.com/article/6579215

Daneshyari.com