

Accepted Manuscript

High flux and fouling resistant flat sheet polyethersulfone membranes incorporated with graphene oxide for ultrafiltration applications

Ahmed Abdel-Karim, Sebastian Leaper, Monica Alberto, Aravind Vijayaraghavan, Xiaolei Fan, Stuart M. Holmes, Eglal R. Souaya, Mohamed I. Badawy, Patricia Gorgojo

PII: S1385-8947(17)31783-7
DOI: <https://doi.org/10.1016/j.cej.2017.10.069>
Reference: CEJ 17853

To appear in: *Chemical Engineering Journal*

Received Date: 23 August 2017
Revised Date: 10 October 2017
Accepted Date: 14 October 2017

Please cite this article as: A. Abdel-Karim, S. Leaper, M. Alberto, A. Vijayaraghavan, X. Fan, S.M. Holmes, E.R. Souaya, M.I. Badawy, P. Gorgojo, High flux and fouling resistant flat sheet polyethersulfone membranes incorporated with graphene oxide for ultrafiltration applications, *Chemical Engineering Journal* (2017), doi: <https://doi.org/10.1016/j.cej.2017.10.069>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



High flux and fouling resistant flat sheet polyethersulfone membranes incorporated with graphene oxide for ultrafiltration applications

Authors

Ahmed Abdel-Karim^{1,4a}, Sebastian Leaper^{1a}, Monica Alberto¹, Aravind Vijayaraghavan²,
Xiaolei Fan¹, Stuart M. Holmes¹, Eglal R. Souaya³, Mohamed I. Badawy⁴, Patricia Gorgojo^{1*}

¹ *School of Chemical Engineering and Analytical Science, The University of Manchester, Oxford Road, Manchester M13 9PL, UK.*

² *School of Materials, The University of Manchester, Oxford Road, Manchester M13 9PL, UK.*

³ *Chemistry Department, Faculty of Science, Ain Shams University, Abbassia, 11566 Cairo, Egypt*

⁴ *Water Pollution Research Department, National Research Centre, 33 EL Bohouth St. (former EL Tahrir St.), P.O. 12622, Dokki, Giza, Egypt.*

^a Both authors contributed equally to this work

* Corresponding author: p.gorgojo@manchester.ac.uk, tel: +44 (0) 161-30-64395

Highlights

1. PES/GO membranes were prepared in combination with various pore forming agents.
2. Higher flux and improved rejection were achieved with the addition of GO.
3. Synthetic solutions of protein and dyes were rejected efficiently at 1 bar.
4. Membrane fouling was reduced with the addition of GO.

Download English Version:

<https://daneshyari.com/en/article/6581063>

Download Persian Version:

<https://daneshyari.com/article/6581063>

[Daneshyari.com](https://daneshyari.com)