Heterogeneous activation of peroxymonocarbonate by Co-Mn oxides for the efficient degradation of chlorophenols in the presence of a naturally occurring level of bicarbonate

Liu Pi, Nuo Yang, Wei Han, Wei Xiao, Dihua Wang, Ying Xiong, Min Zhou, Haobo Hou, Xuhui Mao

PII: S1385-8947(17)31916-2
DOI: https://doi.org/10.1016/j.cej.2017.11.006
Reference: CEJ 17977

To appear in: *Chemical Engineering Journal*

Received Date: 24 June 2017
Revised Date: 31 October 2017
Accepted Date: 2 November 2017

Please cite this article as: L. Pi, N. Yang, W. Han, W. Xiao, D. Wang, Y. Xiong, M. Zhou, H. Hou, X. Mao, Heterogeneous activation of peroxymonocarbonate by Co-Mn oxides for the efficient degradation of chlorophenols in the presence of a naturally occurring level of bicarbonate, *Chemical Engineering Journal* (2017), doi: https://doi.org/10.1016/j.cej.2017.11.006

Heterogeneous activation of peroxymonocarbonate by Co-Mn oxides for the efficient degradation of chlorophenols in the presence of a naturally occurring level of bicarbonate

Liu Pi [a,b], Nuo Yang [a], Wei Han [c], Wei Xiao [a], Dihua Wang [a], Ying Xiong [a], Min Zhou [a], Haobo Hou [a], Xuhui Mao [a,b,*]

a. School of Resource and Environmental Science, Hubei International Scientific and Technological Cooperation Base of Sustainable Resource and Energy, Wuhan University, Wuhan 430072, China.

b. State Key Laboratory of Water Resources and Hydropower Engineering Science, Wuhan University, Wuhan 430072, China

c. Sino-Japan Friendship center for Environmental Protection, No. 1 Yu Hui Nan Road, Beijing 100029, China.

[*]Corresponding author. Email address: clab@whu.edu.cn (X. Mao); Tel./Fax: +86 27 6877 5799.