NaOH-activated carbon of high surface area produced from guava seeds as a high-efficiency adsorbent for amoxicillin removal: Kinetic, isotherm and thermodynamic studies

Osvaldo Pezoti, André L. Cazetta, Karen C. Bedin, Lucas S. Souza, Alessandro C. Martins, Taís L. Silva, Oscar O. Santos Júnior, Jesuí V. Visentainer, Vitor C. Almeida

PII: S1385-8947(15)01713-1
DOI: http://dx.doi.org/10.1016/j.cej.2015.12.042
Reference: CEJ 14551

To appear in: *Chemical Engineering Journal*

Received Date: 21 October 2015
Revised Date: 1 December 2015
Accepted Date: 12 December 2015

Please cite this article as: O. Pezoti, A.L. Cazetta, K.C. Bedin, L.S. Souza, A.C. Martins, T.L. Silva, O.O. Santos Júnior, J.V. Visentainer, V.C. Almeida, NaOH-activated carbon of high surface area produced from guava seeds as a high-efficiency adsorbent for amoxicillin removal: Kinetic, isotherm and thermodynamic studies, *Chemical Engineering Journal* (2015), doi: http://dx.doi.org/10.1016/j.cej.2015.12.042

NaOH-activated carbon of high surface area produced from guava seeds as a high-efficiency adsorbent for amoxicillin removal: Kinetic, isotherm and thermodynamic studies

Osvaldo Pezoti [a], André L. Cazetta [a], Karen C. Bedin [a], Lucas S. Souza [a], Alessandro C. Martins [a], Taís L. Silva [a], Oscar O. Santos Júnior [b], Jesuí V. Visentainer [b], Vitor C. Almeida [a,*]

[a] *Laboratory of Environmental and Agrochemistry, Department of Chemistry, Universidade Estadual de Maringá, Av. Colombo 5790, CEP 87020-900 – Maringá, Paraná, Brazil.*

[b] *Department of Chemistry, Universidade Estadual de Maringá, Av. Colombo 5790, CEP 87020-900 – Maringá, Paraná, Brazil.*

* *Corresponding author.* Tel: + 55 44 3011 4500; Fax: + 55 3011 4449

e-mail address: vcalmeida@uem.br (V.C. Almeida)