### Accepted Manuscript

Large-pore diameter nano-adsorbent and its application for rapid lead(II) detection and removal from aqueous media

Ahmed Shahat, Md. Rabiul Awual, Md. Abdul Khaleque, Md. Zahangir Alam, Mu. Naushad, A.M. Sarwaruddin Chowdhury

PII: S1385-8947(15)00389-7

DOI: http://dx.doi.org/10.1016/j.cej.2015.03.073

Reference: CEJ 13424

To appear in: Chemical Engineering Journal

Received Date: 21 January 2015 Revised Date: 12 March 2015 Accepted Date: 14 March 2015



Please cite this article as: A. Shahat, Md. Rabiul Awual, Md. Abdul Khaleque, Md. Zahangir Alam, Mu. Naushad, A.M. Sarwaruddin Chowdhury, Large-pore diameter nano-adsorbent and its application for rapid lead(II) detection and removal from aqueous media, *Chemical Engineering Journal* (2015), doi: http://dx.doi.org/10.1016/j.cej. 2015.03.073

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

### **ACCEPTED MANUSCRIPT**

# 

Ahmed Shahat <sup>a [+]</sup>, Md. Rabiul Awual <sup>b</sup>\* <sup>[+]</sup>, Md. Abdul Khaleque <sup>c</sup>, Md. Zahangir Alam <sup>d</sup>, Mu. Naushad <sup>e</sup>, A.M. Sarwaruddin Chowdhury <sup>d</sup>

<sup>l+l</sup> Both authors equally contributed in this work.

\* Corresponding author. Tel.: +81 791 58 2642; fax: +81 791 58 0311. E-mail address: awual.rabiul@jaea.go.jp, rawual76@yahoo.com (M. R. Awual).

#### Research highlights:

- Nano-adsorbent was synthesized on mesoporous silica by ligand scaffolding method.
- Adsorbent was used for colorimetric Pb(II) detection/removal from water sample.
- The limit of detection and maximum sorption capacity was 0.29 μg/L & 169.34 mg/g, respectively.
- The adsorbent can be recycled without significant deterioration of sorption capacity.

<sup>&</sup>lt;sup>a</sup> Department of Chemistry, Faculty of Science, Suez University, Suez, Egypt

<sup>&</sup>lt;sup>b</sup> Actinide Coordination Chemistry Group, Quantum Beam Science Centre, Japan Atomic Energy Agency (SPring-8), Hyogo 679–5148, Japan

<sup>&</sup>lt;sup>c</sup> Department of Environmental Science, School of Environmental Science and Management, Independent University, Bangladesh, Dhaka 1229, Bangladesh

<sup>&</sup>lt;sup>d</sup> Department of Applied Chemistry and Chemical Engineering, University of Dhaka, Dhaka-1000, Bangladesh

<sup>&</sup>lt;sup>e</sup> Department of Chemistry, Bld#5, College of Science, King Saud University, Riyadh 11451, Saudi Arabia

#### Download English Version:

# https://daneshyari.com/en/article/6584848

Download Persian Version:

https://daneshyari.com/article/6584848

<u>Daneshyari.com</u>