Indirect Photocatalytic Reduction of Arsenate to Arsenite in Aqueous Solution with TiO_2 in the Presence of Hole Scavengers

Abdus Samad, Shamim Ahsan, Ikki Tateishi, Mai Furukawa, Hideyuki Katsumata, Tohru Suzuki, Satoshi Kaneco

PII: S1004-9541(17)30137-4
DOI: doi:10.1016/j.cjche.2017.05.019
Reference: CJCHE 862

To appear in:

Received date: 31 January 2017
Revised date: 25 April 2017
Accepted date: 3 May 2017

Please cite this article as: Abdus Samad, Shamim Ahsan, Ikki Tateishi, Mai Furukawa, Hideyuki Katsumata, Tohru Suzuki, Satoshi Kaneco, Indirect Photocatalytic Reduction of Arsenate to Arsenite in Aqueous Solution with TiO_2 in the Presence of Hole Scavengers, (2017), doi:10.1016/j.cjche.2017.05.019

Indirect Photocatalytic Reduction of Arsenate to Arsenite in Aqueous Solution with TiO_2 in the Presence of Hole Scavengers

Abdus Samad,[a,*] Shamim Ahsan,[b] Ikki Tateishi,[c] Mai Furukawa,[c] Hideyuki Katsumata,[c] Tohru Suzuki [d] and Satoshi Kaneco [c,d,*]

[a] Department of Chemistry, Jagannath University, Dhaka–1100, Bangladesh

[b] Department of Earth and Atmospheric Sciences, Metropolitan State University of Denver, CO 80204, USA

[c] Department of Chemistry for Materials, Graduate School of Engineering, Mie University, Tsu 514-8507, Mie, Japan

[d] Mie Global Environment Center for Education & Research, Mie University, Tsu, Mie 514-8507, Japan

* Corresponding author.

E-mail addresses:

asamad037@gmail.com (A. Samad),

kaneco@chem.mie-u.ac.jp (S. Kaneco)