## **Accepted Manuscript**

Comparison of different kraft lignin-based vanillin production processes

Nattanan Wongtanyawat , Possawat Lusanandana , Nawaporn Khwanjaisakun , Pichayapan Kongpanna , Janewit Phromprasit , Lida Simasatitkul , Suksun Amornraksa , Suttichai Assabumrungrat

PII: \$0098-1354(18)30511-8

DOI: 10.1016/j.compchemeng.2018.05.020

Reference: CACE 6119

To appear in: Computers and Chemical Engineering

Received date: 12 June 2017 Revised date: 3 March 2018 Accepted date: 21 May 2018



Please cite this article as: Nattanan Wongtanyawat, Possawat Lusanandana, Janewit Phromprasit, Lida Simasatitkul, Nawaporn Khwaniaisakun . Pichayapan Kongpanna, Suksun Amornraksa. Suttichai Assabumrungrat, Comparison different of based vanillin production processes, Computers and Chemical Engineering (2018), doi: 10.1016/j.compchemeng.2018.05.020

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### ACCEPTED MANUSCRIPT

### **Highlights**

- Application of a systematic methodology and process intensification for vanillin production from Kraft lignin process
- Different product separation techniques are considered.
- Comparison is based on energy consumption, economics and environmental impact.
- The process using adsorption by zeolite is the best alternative.



#### Download English Version:

# https://daneshyari.com/en/article/6594669

Download Persian Version:

https://daneshyari.com/article/6594669

<u>Daneshyari.com</u>