

# Accepted Manuscript

1, 3-Indanedione functionalized fluorene luminophores: Negative solvatochromism, nanostructure-morphology determined AIE and mechanoresponsive luminescence turn-on

Fang Zhang, Rong Zhang, Xiaozhong Liang, Kunpeng Guo, Zhaoxiang Han, Xiaoqing Lu, Jingjuan Xie, Jie Li, Da Li, Xia Tian

PII: S0143-7208(18)30226-2

DOI: [10.1016/j.dyepig.2018.03.059](https://doi.org/10.1016/j.dyepig.2018.03.059)

Reference: DYPI 6644

To appear in: *Dyes and Pigments*


Received Date: 30 January 2018

Revised Date: 24 March 2018


Accepted Date: 24 March 2018

Please cite this article as: Zhang F, Zhang R, Liang X, Guo K, Han Z, Lu X, Xie J, Li J, Li D, Tian X, 1, 3-Indanedione functionalized fluorene luminophores: Negative solvatochromism, nanostructure-morphology determined AIE and mechanoresponsive luminescence turn-on, *Dyes and Pigments* (2018), doi: 10.1016/j.dyepig.2018.03.059.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Graphical Abstract



A series of 1, 3-indanedione functionalized fluorene luminophores simultaneously exhibit negative solvatochromism, AIE and mechanoresponsive luminescence turn-on were realized by taking the advantages of ICT and nanostructured morphological effects.

Download English Version:

<https://daneshyari.com/en/article/6598672>

Download Persian Version:

<https://daneshyari.com/article/6598672>

[Daneshyari.com](https://daneshyari.com)