

Accepted Manuscript

Synthesis of sulfur-rich MoS₂ nanoflowers for enhanced hydrogen evolution reaction performance

Zhongcheng Li, Jiaojiao Ma, Ying Zhou, Zhengmao Yin, Yubao Tang, Yinxue Ma, Debao Wang

PII: S0013-4686(18)31423-3

DOI: [10.1016/j.electacta.2018.06.135](https://doi.org/10.1016/j.electacta.2018.06.135)

Reference: EA 32128

To appear in: *Electrochimica Acta*


Received Date: 1 February 2018

Revised Date: 17 April 2018


Accepted Date: 20 June 2018

Please cite this article as: Z. Li, J. Ma, Y. Zhou, Z. Yin, Y. Tang, Y. Ma, D. Wang, Synthesis of sulfur-rich MoS₂ nanoflowers for enhanced hydrogen evolution reaction performance, *Electrochimica Acta* (2018), doi: 10.1016/j.electacta.2018.06.135.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Graphical Abstract



The MoS₂ nanoflowers with 210-470 nm were fabricated by a facile hydrothermal method, showing the enhanced HER activity due to the exposed unsaturated S atoms.

Download English Version:

<https://daneshyari.com/en/article/6601952>

Download Persian Version:

<https://daneshyari.com/article/6601952>

[Daneshyari.com](https://daneshyari.com)