


# Accepted Manuscript

Two-step method for synthesizing polyaniline with bimodal nanostructures for high performance supercapacitors

Yuan Yuan, Wenliang Zhu, Guo Du, Dengzhi Wang, Jiliang Zhu, Xiaohong Zhu, Giuseppe Pezzotti



PII: S0013-4686(18)31293-3

DOI: [10.1016/j.electacta.2018.06.006](https://doi.org/10.1016/j.electacta.2018.06.006)

Reference: EA 31999

To appear in: *Electrochimica Acta*


Received Date: 1 April 2018

Revised Date: 28 May 2018

Accepted Date: 1 June 2018

Please cite this article as: Y. Yuan, W. Zhu, G. Du, D. Wang, J. Zhu, X. Zhu, G. Pezzotti, Two-step method for synthesizing polyaniline with bimodal nanostructures for high performance supercapacitors, *Electrochimica Acta* (2018), doi: 10.1016/j.electacta.2018.06.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



The as-prepared polyaniline exhibits a bimodal morphology composed of a coral-like structure and a nanowire structure. A large specific capacitance of 689 F/g at 1 A/g and retention of 613 F/g at 10 A/g is obtained for net polyaniline.

Download English Version:

<https://daneshyari.com/en/article/6602170>

Download Persian Version:

<https://daneshyari.com/article/6602170>

[Daneshyari.com](https://daneshyari.com)