Accepted Manuscript

A high-performance hybrid ${\rm Mg}^{2^+/{\rm Li}^+}$ battery based on hierarchical copper sulfide microflowers conversion cathode

Ting Li, Aiqiong Qin, Hongtao Wang, Mengyi Wu, Yuyue Zhang, Yujie Zhang, Daohong Zhang, Fei Xu


PII: S0013-4686(18)30098-7

DOI: 10.1016/j.electacta.2018.01.067

Reference: EA 31049

To appear in: Electrochimica Acta

Received Date: 13 November 2017
Revised Date: 25 December 2017
Accepted Date: 8 January 2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

A high-performance hybrid ${\rm Mg}^{2^+\!/Li^+}$ battery based on hierarchical copper sulfide microflowers conversion cathode

Ting Li^a, Aiqiong Qin^a, Hongtao Wang^b, Mengyi Wu^b, Yuyue Zhang^b, Yujie Zhang^b,

Daohong Zhang*a, Fei Xu*b,c

^a Key Laboratory of Catalysis and Materials Science of the State Ethnic Affairs Commission & Ministry of Education, College of Chemistry and Materials Science, South-Central University for Nationalities, Wuhan 430074, China.

^b School of Power and Mechanical Engineering, Wuhan University, Wuhan 430072, China.

^c Key Laboratory of Hydraulic Machinery Transients (Wuhan University), Ministry of Education, Wuhan 430072, China.

*Correspondence:

Daohong Zhang (zhangdh27@163.com)

Fei Xu (xufei2058@whu.edu.cn)

Download English Version:

https://daneshyari.com/en/article/6604357

Download Persian Version:

https://daneshyari.com/article/6604357

Daneshyari.com