


Accepted Manuscript

Multi-growth site graphene/polyaniline composites with highly enhanced specific capacitance and rate capability for supercapacitor application

Xuwen Zheng, Huitao Yu, Ruiguang Xing, Xin Ge, He Sun, Ruihong Li, Qiwei Zhang



PII: S0013-4686(17)32663-4

DOI: [10.1016/j.electacta.2017.12.100](https://doi.org/10.1016/j.electacta.2017.12.100)

Reference: EA 30888

To appear in: *Electrochimica Acta*

Received Date: 5 October 2017


Revised Date: 21 November 2017

Accepted Date: 14 December 2017

Please cite this article as: X. Zheng, H. Yu, R. Xing, X. Ge, H. Sun, R. Li, Q. Zhang, Multi-growth site graphene/polyaniline composites with highly enhanced specific capacitance and rate capability for supercapacitor application, *Electrochimica Acta* (2018), doi: 10.1016/j.electacta.2017.12.100.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract



3D MSG/PANI electrodes exhibit highly improved specific capacitance of 912 F g⁻¹ (1 A g⁻¹), and rate capability of 86.4% (20 A g⁻¹).

Download English Version:

<https://daneshyari.com/en/article/6604856>

Download Persian Version:

<https://daneshyari.com/article/6604856>

[Daneshyari.com](https://daneshyari.com)