

## Accepted Manuscript

Title: Effects of Brighteners in a Copper Plating Bath on Throwing Power and Thermal Reliability of Plated Through Holes

Author: Tzu-Chi Chen Yao-Lin Tsai Chia-Fu Hsu Wei-Ping Dow Yasuo Hashimoto



PII: S0013-4686(16)31512-2  
DOI: <http://dx.doi.org/doi:10.1016/j.electacta.2016.07.007>  
Reference: EA 27622

To appear in: *Electrochimica Acta*

Received date: 30-1-2016  
Revised date: 28-6-2016  
Accepted date: 2-7-2016

Please cite this article as: Tzu-Chi Chen, Yao-Lin Tsai, Chia-Fu Hsu, Wei-Ping Dow, Yasuo Hashimoto, Effects of Brighteners in a Copper Plating Bath on Throwing Power and Thermal Reliability of Plated Through Holes, *Electrochimica Acta* <http://dx.doi.org/10.1016/j.electacta.2016.07.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Effects of Brighteners in a Copper Plating Bath on Throwing Power and Thermal Reliability of Plated Through Holes

Tzu-Chi Chen<sup>a</sup>, Yao-Lin Tsai<sup>a</sup>, Chia-Fu Hsu<sup>a</sup>, Wei-Ping Dow<sup>a\*,1</sup>, Yasuo Hashimoto<sup>b</sup>

<sup>a</sup>Department of Chemical Engineering, National Chung Hsing University, Taichung 40227, Taiwan

<sup>b</sup>Research & Development Headquarters, JCU Corporation., Asao, Kawasaki, Kanagawa 215-0033, Japan

\*Corresponding author. E-mail: [dowwp@dragon.nchu.edu.tw](mailto:dowwp@dragon.nchu.edu.tw) (W.-P. Dow). Tel: 886-4-22859152;

Fax: 886-4-22854734.

<sup>1</sup> ISE member.

Download English Version:

<https://daneshyari.com/en/article/6606151>

Download Persian Version:

<https://daneshyari.com/article/6606151>

[Daneshyari.com](https://daneshyari.com)