Accepted Manuscript

Title: Flexible free-standing Fe₂O₃/graphene/carbon nanotubes hybrid films as anode materials for high performance lithium-ion batteries

Author: Jinxing Wang Gang Wang Hui Wang

PII: S0013-4686(15)30492-8

DOI: http://dx.doi.org/doi:10.1016/j.electacta.2015.09.080

Reference: EA 25713

To appear in: Electrochimica Acta

Received date: 6-6-2015 Revised date: 14-9-2015 Accepted date: 15-9-2015

Please cite this article as: Jinxing Wang, Gang Wang, Hui Wang, Flexible free-standing Fe2O3/graphene/carbon nanotubes hybrid films as anode materials for high performance lithium-ion batteries, Electrochimica Acta http://dx.doi.org/10.1016/j.electacta.2015.09.080

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Flexible free-standing Fe₂O₃/graphene/carbon nanotubes hybrid films as anode

materials for high performance lithium-ion batteries

Jinxing Wang^a, Gang Wang^b, Hui Wang^{a*}

^aKey Laboratory of Synthetic and Natural Functional Molecule Chemistry (Ministry

of Education), College of Chemistry & Materials science, Northwest University, Xi'an

710069, PR China

^bNational Key Laboratory of Photoelectric Technology and Functional Materials

(Culture Base), National Photoelectric Technology and Functional Materials &

Application International Cooperation Base, Institute **Photonics** &

Photon-Technology, Northwest University, Xi'an 710069, PR China

*Corresponding author:

Tel.: +86 29 8836 3115

Fax: +86 29 8830 3798

E-mail address: huiwang@nwu.edu.cn (Hui Wang)

Abstract

Free-standing, flexible, paper-like Fe₂O₃/graphene/carbon nanotubes

(Fe₂O₃/GCNTs) ternary hybrid film with a three-dimensional hierarchical structure is

synthesized through a simple filtration and a subsequent reduction process. The Fe₂O₃

1

Download English Version:

https://daneshyari.com/en/article/6609841

Download Persian Version:

https://daneshyari.com/article/6609841

<u>Daneshyari.com</u>