

Accepted Manuscript

Title: Electrode properties of defect-introduced graphene sheets for electrochemical capacitors using aqueous electrolyte

Author: Wonkyun Lee Shinya Suzuki Masaru Miyayama

PII: S0013-4686(14)01458-3

DOI: <http://dx.doi.org/doi:10.1016/j.electacta.2014.07.066>

Reference: EA 23104

To appear in: *Electrochimica Acta*


Received date: 20-5-2014

Revised date: 11-7-2014

Accepted date: 12-7-2014

Please cite this article as: W. Lee, S. Suzuki, M. Miyayama, Electrode properties of defect-introduced graphene sheets for electrochemical capacitors using aqueous electrolyte, *Electrochimica Acta* (2014), <http://dx.doi.org/10.1016/j.electacta.2014.07.066>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Electrode properties of defect-introduced graphene sheets for electrochemical capacitors using aqueous electrolyte

Wonkyun Lee,^a Shinya Suzuki,^a Masaru Miyayama^{a,b}

^aSchool of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo
113-8656, Japan

^bCREST, Japan Science and Technology Agency, 4-8-1 Honcho, Kawaguchi, Saitama
332-0012, Japan

*Corresponding author. Tel.: +81 3 5841 7642; fax: +81 3 5841 0250.

E-mail address: wklee@fmat.t.u-tokyo.ac.jp (W. Lee)

Download English Version:

<https://daneshyari.com/en/article/6613181>

Download Persian Version:

<https://daneshyari.com/article/6613181>

[Daneshyari.com](https://daneshyari.com)